INDEX FOR VOLUME 44

AUTHOR AND SUBJECT INDEX. New species and varieties in bold face type. Junior authorship indicated by pages in parentheses. Illustrations are included.

Abbreviations for MSS. for Phytopathology, 667
Acer spp., see Maple
Acer tulipae, wheat streak mosaic, 506
Achromobacter sp. in bean, 588
Actidione, see under Antibiotics
Acidity, see Hydrogen-ion concentration
Actinomycetes, antibiosis, *Pythium arrhenomanes*, 69
  effect of metabolites on pigmentation, pathogens, 110
  spore formation, pathogens, 110
  Nocardia sp., inhibition of tobacco mosaic virus, 328
  Sclerotium rolfsii, antagonism, 499
  shallot pink root, antagonistic, 488
  tobacco mosaic virus inhibition, 328
ADAM, ANGELOS V., (502)
Aerobacter, spp., in bean, 588
AFANASIEV, M. M., 481, (499)
Agallia constricta, virus vector, serological reaction, 482
Agaricus campestris, fungicides effect on polyphenol oxidase from, 501
Agrobacterium radiobacter in bean, 588
  rubi, *A. tumefaciens*, cane and crown galls in blackberry, **illus.**, 652
    host range and pathogenicity, 653
    isolates from cane galls of blackeberry, 651
  tumefaciens, actidione effect on, 144
    galls associated with adventitious roots, 107
    on *Kalanchoë daigremontiana*, **illus.**, 108
    host range and pathogenicity, 653
    isolates from crown galls of blackberry, 651
Agropyron smithii, wheat streak mosaic, 506
Agrox, see under Fungicides
Alanine in peach and cherry leaves, 487, 643
Alcaligenes spp., in bean, 588
Alfalfa crown and root rot, *Stagonospora meliloti*, incitant, 137
  damping-off and root rot, 451
  dark necrotic crown rot, 137
  dwarf virus breeding for resistance, 493
  meadow nematodes, 542
  mosaic virus, cowpea varieties response to, 498
    potato virus X, double infections, 504
    source and method, inoculum, 491
  Phytophthora root rot, 487
    symptoms and effect of temperature, 700, **illus.**, 701
  Pythium spp. effect on seedlings, 491
    pathogenicity on seedlings, 572
  Stagonospora meliloti, infected by, longisection of crown, **illus.**, 139
  stem canker and crown bud necrosis, *Rhizoctonia solani*, **illus.**, 142
    and crown canker, *Rhizoctonia solani*, incitant, 137
ALI, SYED B., 481
Allamanda cathartica, aster ring spot virus in, 90
ALLARD, R. W., 1, 266
ALLINGTON, WILLIAM B., 297, 546
ALLISON, J. LEWIS, (333)
Allium spp., *Puccinia asparagi* in, 388
Almond bud failure, seed-transmission tests, 510
  sweet cherry rugose mosaic virus complex, variations in, 500
Alternaria, 293
  dauci, on carrots, control, 112
  oleracea, fungicides effect on germination and oxygen uptake, 497
  plating technique, 502
  solani, fungicides tenacity measurement, method, 505
    inhibition by acidic, phosphate buffers, 101
    metabolites production of vascular browning, 155
Alternaria—*continued*
    spore germination, agar plate method, 113
    tomato resistance, 410
  sp. in bean, 588
    conidia and mycelium, slide preparation method, **illus.**, 107
  spp., wheat crown rot, associated with, 228
  tenuis, lettuce leaf spot, associated with, 176
  tomato, air temperature effect on incidence and development, 502
Alternaric acid biological activity, 497
Amaranth, lettuce mosaic virus, rod-shaped particles in tissues, 715
Ambrosia, aster ring spot virus in, 90
AMEN, CLARK R., (503)
American Phytopathological Society: abstracts of the 46th annual meeting (Estes Park), 481
  manuscript preparation for journal, 667
  report of 45th annual meeting, 49
  report of 46th annual meeting, 718
  reports and abstracts: Northeastern Division, 109
    Potomac Division, 388
    Southern Division, 331
Amino acid, see also under Nutrition
  cherry and peach leaves, healthy and diseased, 486
  corn healthy and gall tissues, 486
  Ustilago zeae, 583
    cultures, **illuss.**, 585, 586, 587
  western-X diseased peach leaves, 643
γ-Amino butyric acid in peach and cherry leaves, 487, 643
Ammate, oak wilt tests, 328
ANDERSEN, AXEL L., 481
ANDERSON, C. W., 87, 198, 371
ANDERSON, H. W., (502)
Annulus, rhubarb ring spot-like virosis on, 118
  dubius, 87
  tabaci, 87
  wellmanii sp. nov., aster ring spot virus, 91
Antagonisms, Actinomycetes to *Pythium arrhenomanes*, 69
  Actinomycetes to *Sclerotium rolfsii*, 499
    shallot pink root, 488
  bacteria and fungi to corn Pythium root rot pathogen, 69
    Sclerotium rolfsii, 499
  Chaetomium cochliodes, *Helminthosporium victoriae*, 686
  globosum, *Helminthosporium victoriae*, 686
    spp., *Helminthosporium pedicellatum*, **illus.**, 687
  fungi to *Rhizoctonia solani* related to toxicity of chemicals, 493
  Helminthosporium victoriae, *Chaetomium* spp., 686
  Macrophomina phaseoli to soil organisms, 522
  Pythium arrhenomanes, soil organisms, 69, 377
  Trichoderma sp. to *Sclerotium rolfsii*, 499
Anthocyanin pigment related to temperature, sweet potato internal cork, 334
Anthracnose, bean, pulvini resistance, 64
  pinto bean, **illus.**, 64
  watermelon, invasion and control, 675
Antibiosis of Actinomycetes, shallot pink root, 488
Antibiotic production by Actinomycetes, effect on pigmentation and sporulation of pathogens, 110
Antibiotics, actidione, effect on metabolism of *Fusarium roseum*, 506
  actidione, fungi, suppression of, in culture, 144
    plant pathogenic bacteria in culture, suppression of, 144
    Pythium, *Rhizoctonia*, 509
    ryegrass cottony blight, 509
    wheat stem rust, 506
  antimycin, *Venturia inaequalis* mutants resistant to, 496
  antimycin A-35, 438
    and A-102, assay of paper chromatograms, **illus.**, 444
    oat seedling blight, 704
    oat smut, 704

Antibiotics—*continued*
small grain seed-borne diseases, 704
antimycin A-102, bacteria, fungi, effect on, 438
oat seedling blight, 438
phytotoxicity studies, 442
production and properties, 438
tomato early blight, 438
aureomycin, pear fireblight, 481
bacitracin, wheat injury, 506
candicidin, wheat injury, 506
chloromycetin, bacteria and fungi control in soil, 505
dihydrostreptomycin sulfate, wheat injury, 506
helixin, oat smut, 704
pH influence on effectiveness, 102
Pythium, 509
wheat bunt, 704
helixin B., *Venturia inaequalis* mutants resistant to, 496
helixins, oats seedling blight, 704
small grain seed-borne diseases, 704
α-methyl-glutamic acid, wheat injury, 506
neomycin, peach spring canker, 502
pear fireblight, 481
oxytetracycline, chrysanthemum bacterial wilt, 646, **illus.** 650
pear fireblight protectants, 481
pleocidin, wheat injury, 506
rimocidin, peach Monilinia and Rhizopus decay, 390
Pythium, *Rhizoctonia*, 509
small grain seed-borne disease, 704
streptomycin, chrysanthemum bacterial wilt, 646, **illus.** 650
dips for cole slaw, packaged, 389
fireblight of apple and pear, 511
inhibition zones surrounding paper discs soaked with bean leaf juice, agar plates seeded with blight organism, **illus.**, 27
pear fireblight, 481
Pythium, 509
terramycin mixture, pear blight, 487
wheat injury, 506
streptomycin sulphate, bacteria and fungi control in soil, 505
bean absorption and translocation, 25
effect on halo and common blight of bean, 25
streptothricin hydrochloride, wheat injury, 506
sulfanilamide, effect on metabolism of *Fusarium roseum*, 506
terramycin, fireblight of apple and pear, 511
streptomycin mixture, pear blight, 487
wheat injury, 506
tetracycline, fireblight of apple and pear, 511
thiolutin, effect on metabolism of *Fusarium roseum*, 506
Pythium, *Rhizoctonia*, 509
tyrothricin, wheat injury, 506
wheat stem rust, 506
Anticarie, iris crown rot, 489
Antimycin, see under Antibiotics
Antisera, rabbit, TMV inactivation, 503
Aoshima, Kiyowo, 260
Aphanomyces euteiches physiologic specialization, 495
Aphelenchoides spp., see under Nematodes
Aphelenchus sp., 543
Aphis spp., see under Insects, aphid
Apium graveolens, see celery
Apple bark splitting virus disease, 498
Botryosphaeria canker, 505
fireblight control, 511
fungicides effect on chlorophyll of foliage, 111
leaves, *Venturia inaequalis*, scab symptoms, **illus.**, 363
mosaic virus, mechanical transmission, 511
scab control, 387
rainfall related to occurrence, 495
seedlings, plum necrotic ring spot virus, 110
sooty blotch, rainfall related to occurrence, 495
Apricot, bark splitting virus, 484
Aragaki, M., (499)
Arasan, see Fungicides, thiram
Arceuthobium americanum invasion of lodgepole pine, 552
Arginine in peach and cherry leaves, 487, 643
Ark, Peter A., 481
Armillaria mellea, carbon disulfide and *Trichoderma viride* related to control, 485
Armstrong, G. M., (275)
Armstrong, Joanne K., 275
Arnold, Gordon W., 481
Arny, D. C., (329), 380, 481, (704)
Artichoke, *Stemphylium botryosum* f. *lactucum*, 178
Asclepias syriaca, see Milkweed
Ascocybe grovesii, brick red stain in wood, 606
red stain in several woods, **illus.**, 607
Ascomycetes, genetics, sexual differentiation, 342
Asparagine, peach and cherry leaves, 487, 643
Asparagus Fusarium wilt effect on decline and replant problem, 490
rust, 388
Aspartic acid, peach and cherry leaves, 487, 643
Aspen seed damping-off control, 505
Aspergillus, 293
antibiosis *Pythium arrhenomanes*, 70
flavus, *Macrophomina phaseoli*, antagonism, 522
peanuts blue damage, 300
fumigatus effect on *Gibberella zeae*, 57
niger, actidione effect on, 144
fungicides effect on germination and oxygen uptake, 497
fungitoxicity related to chemicals effect on polyphenol oxidase, 501
peanuts blue damage, 300
spore germination, agar plate method, 113
plating technique, 502
rugulosus, *Macrophomina phaseoli*, antagonism, 522
slow-growing strain antagonistic to subspecies of *A. glaucus*, 485
stored seeds, 484
spp. in banana roots, 689
watermelon seed, 675
terreus, *Macrophomina phaseoli*, antagonism, 522
Aster, China, leaves naturally infected with ARSV, **illus.**, 87
lettuce mosaic virus, rod-shaped particles in tissues, 715
ring spot virus, cucumber mosaic compared, 87
host range, 87
yellows, potato late-breaking virus strain of complex, 503
Athow, Kirk L., 319
Atkins, J. G., Jr., 215
Avocado Phytophthora root rot, chemotherapy, 511
Phytophthora root rot, pH effect on development, 611, **illus.**, 613
in seedlings, **illus.**, 614
Azide effect on metabolism of *Fusarium roseum*, 506

Bachelder, Stephen, (110)
Bacillus cereus in bean, 588
cereus, *Macrophomina phaseoli*, antagonism, 522
megatherium in bean, 588
polymyxa in bean, 588
sphaericus in bean, 588
subtilis in bean, 588
strains, *Sclerotium rolfsii*, antagonisms, 499
tomato symptoms, **illus.**, 274
Bacteria fire blight, stability studies, 192
gall-producing, host range and pathogenicity, 653
isolated from coffee roots, 509
plant pathogenic, actidione, use in culture of, 144
soil, antibiosis, *Pythium arrhenomanes*, 69, 377
pH effect on populations, 377
Bacterial diseases, beans, effect of sprinkler irrigation, 553
soft rot of potato, symptoms and injury caused by dropping, **illus.**, 33
soft spot, potato varieties susceptible to, 30
temperature effect on potato resistance, 30
stem rot and leaf spot of geranium, 627, **illuss.** 628, 629

Bacterial diseases—*continued*
streak of Narcissus, 489
wilt, carnation varietal response, 713
Bactericidal applications, peach spring canker, 502
Bacterium globiforme in bean, 588
BAIN, DOUGLAS C., 331
BAINES, RICHARD C., (456)
BAKER, E. P., (657)
BAKER, KENNETH F., 39, (65)
BALD, J. G., (314)
BALDWIN, M. M., (499)
Balsam, galls and "curly-top," dagger nematode, 389
Banana, *Fusaria* and other fungi in roots, 689
BANCROFT, JOHN B., 481
Barium chloride, 387
ethylenebisdithiocarbamates, see under Fungicides
Barley, *Aspergillus* slow-growing strain isolated from, 484
corn, mosaic on, 488
Erysiphe graminis hordei in leaf tissue, **illuss.**, 658, 659
false stripe, necrogenous reaction delimiting infection, 490
rod-shaped particles in tissues, 115, **illus.**, 116
seed and pollen transmission of rods, 115
Helminthosporium blight, 511
loose smut control, 329, 481, 508
inoculation, rapid air blast method, 499
powdery mildew, histological studies, 657
production regions, Mexico, 399
Puccinia graminis tritici race 59 isolates on varieties, 481
seedling blight control, seed treatment, 481
smuts, albinism, 353
genetics, 352
BAXTER, L. W., 129
Bayer 19117, see Chemotherapeutants
Bean, apple mosaic virus, dodder transmission, 511
bacteria and fungi in seeds and plants, 588
bacterial diseases, effect of sprinkler irrigation, 553
leaf spot, effect of sprinkler irrigation, 554
blight, effect of sprinkler irrigation, 554
seeded agar plates showing streptomycin induced inhibition zones surrounding discs soaked with leaf juice, **illus.**, 27
Bountiful, rhubarb ring spot virus in, **illus.**, 121
broad, rhubarb ring spot virus in, **illus.**, 121
common blight control, streptomycin, 25
cucumber mosaic virus in, histological and cytological studies, 502
curly top virus, resistant varieties, 486
diseases, Colombia improvement program, 484
halo blight control, 25, 499
kidney, effect of growth regulators on resistance to infection by *Colletotrichum lindemuthianum*, 111
leaf absorption of fungicides, celery compared, 203
lima, downy mildew, carbohydrate content of host effect on, 325
downy mildew, temperature effect on, 325
root-knot resistance, 1
root rot, 451
mosaic virus, necrosis development, 508
resistant varieties, 486
variant strain, inheritance of resistance, 481
pea streak virus, aphid transmission, 569
peach yellow bud virus, mechanical transmission, 511
Pinto, chemical protection from ozonated olefin (smog), 494
leaf pieces, healthy, powdery mildew, rust, anthracnose infected, **illus.**, 64
TMV, silver nitrate effect on, **illus.**, 232
potato X virus-like particles in healthy tissue, 473
pulvini resistance to fungi and virus infection, 64
rhubarb ring spot-like virosis on, 118
root rot, 451
pathogenicity in different soils, 483
rust acquired immunity, 511
silver nitrate effect on TMV in leaves, 230
southern mosaic virus, drying rate and potassium phosphate effect on infection, 389
phosphate effect in inoculations, 494
Sporotrichum sp. effect on, 478
TMV in leaves, silver nitrate effect, 230
zinc sulfate effect, 230
yellow mosaic virus, source and method, inoculum, 491
zinc sulfate effect on TMV in leaves, 230
BECKMAN, C. H., (148)
Beech wood blocks decayed by haploid, diploid isolates of *Elfvingia applanata*, **illus.**, 264
wood rot by *Elfvingia applanata*, haploid, diploid mycelia, 260
Beet, sugar, curly top virus strain 11, 123
sugar, curly top virus strains, symptoms on, **illus.**, 124
turnip virus 1 strains in, 632
yellow-net virus, tomato yellow-net compared, 220
BEGA, ROBERT, 482
Belonolaimus gracilis, see under Nematode
Bemisia inconspicua cotton leaf crumple vector, 480
BERAHA, LOUIS, 388
BERKELEY, G. H., 632
Betula alba, decay, *Valsa leucostomoides*, 13
verrucosa, fungicide screening for non-toxic effect and disease control on, 509
BEVER, WAYNE M., (500)
BILBRUCK, J. D., (112)
BINGHAM, FRANK T., 611
Biotin requirement of *Volutella colletotrichoides*, 484
Venturia inaequalis, deficient induced mutants, 482
BIRCHFIELD, W., 331
Birdsfoot trefoil, damping-off and root rot, 451
root rot, **illus.**, 454
BISSONETTE, HOWARD, (495)
BLACK, L. M., 482, (548)
Blackberry cane and crown galls, **illus.**, 652
cane and crown galls, studies of isolates from, 651
Blackpatch fungus pathogenicity on red clover roots and crowns, 489
BLANK, L. M., 331, (332)
BONDE, REINER, (111), 608
BOONE, D. M., (362), 482, (496)
BOOSALIS, MICHAEL G., 224, 482
Borax sprays, celery adaxial crack stem, 145
Bordeaux, see under Fungicides
BORLAUG, NORMAN E., 398, (494)
Boron, celery leaf petiole content, 145
Botryosphaeria ribis apple canker incitant, 505
Botrytis cinerea, column stock, control, 42
cinerea, column stock disease complex, 39
metabolites production of vascular browning, 155
complex on stock, **illus.**, 41
gladiolorum, 42
grisella related to *B.* **yuae** sp. nov., 233
sp. on stored roses, control, 503
yuae sp. nov., *B. grisella* related to, 233
morphology, **illus.**, 235
parasitizing *Cercospora unamunoi*, 233
Boxwood, *Heliocotylenchus* sp. on, 389
Boydia insculpta, *Phytophthora* sp. in holly, 483
BOYLE, J. S., 303
BRAKKE, M. K., (482)
Brassica oleracea, see Cabbage
phyllody, 503
BRIERLEY, PHILIP, 696
BROCK, THOMAS D., (57)
BROMFIELD, K. R., 482, 483
Bromus inermis, see Grass, brome
BROWNING, J. ARTIE, 483
Buckwheat, rhubarb ring spot-like virosis on, 118
rhubarb ring-spot virus in, **illus.**, 120
BUDDENHAGEN, IVAN W., 483
Buffer, acidic, effect on early blight of tomato, 101
Bunt, dwarf and common, hybridization between species and races of pathogen, 493

Burdock, *Verticillium albo-atrum* in, 241
BURKE, DOUGLAS W., 483
BURKHOLDER, WALTER H., 592

Cabbage blackrot, breeding for resistance, 331
Fusarium metabolites effect on susceptible and resistant varieties, 159
spp., metabolites production of vascular browning, 156
packaged cole slaw, chemical dips, streptomycin, 389
potato X virus-like particles in healthy seedlings, 473
treated with Fusarium filtrate, resistant and susceptible seedlings, **illus.**, 161
turnip virus 1 strains in, 632
vein-clearing, Fusarium infected and treated with filtrates, **illus.**, 161
Cacao, *Phytophthora palmivora* isolates variation from those from rubber, 501
CALAVAN, E. C., 483, 635
Calcium content of tubers in relation to potato scab, 19
cyanamide, see under Soil fumigants
ion and hydrogen ion, potato scab, 19
Anthracnose organism in kenaf related to pH, 465
CALDWELL, RALPH M., (319), 483
Callistephus chinensis, ring spot virus, 87
CALVERT, O. H., 609
Camellia canker, *Glomerella cingulata* incitant, 129
canker, stems and young shoots, **illus.**, 131
dieback, *Glomerella cingulata*, 129
flower blight, *Sclerotinia sclerotiorum*, incitant, 717
flowers, "breaking," variegation study, **illus.**, 16
grafting technique, variegation study, **illus.**, 16
leaves, variegation, **illus.**, 15
spp., fungi associated with dieback and canker, 130
leaf and flower variegation, graft transmission, 14
varieties reaction to infection by *Glomerella cingulata*, 129
CAMERON, H. RONALD, 484
CAMERON, JAMES W., 456
CAMPBELL, LEO, 484
CAMPBELL, R. N., (488)
Cantaloupe, muskmelon mosaic virus type strain on, 371
watermelon mosaic virus in, **illus.**, 199
strains on, 198
CANUTO, CARDONA A., 484
Capsicum spp., see Pepper
Captan, see under Fungicides
Carbohydrates in corn and healthy gall tissues, 486
Carbon disulfide, *Trichoderma viride* related to control of *Armillaria mellea*, 485
Carica papaya, see Papaya
Carnation bacterial wilt, varietal response, 713
Fusarium wilt, 275
soil treatments, 110
mosaic virus, effect of temperature, selected hosts, 110
Carneocephala fulgida, Pierce's disease vector, 7
trigutatta, Pierce's disease vector, 11
CARPENTER, J. B., 597
Carrot, Alternaria blight control, 112
soil treatments effect on yield and flavor, 496
CARTER, WALTER, (662)
CARTWRIGHT, T. E., 484
Caryophyllaceae, Fusarium wilt of carnation, susceptible to, 275
CASTRONOVO, ALFONSO, 484
Catechol, nematocidal value, 508
Cattleya, see under Orchids
sp. leaf mosaic and flower break isolates, comparative studies, 499
leaf necrosis isolates, comparative studies, 499
Cauliflower, turnip virus 1 strains in, 632
virus 1 strain host range, 632
Celery adaxial crack stem, control, 145
boron content leaf petioles, 145
leaf absorption of fungicides, bean compared, 203
Cephalosporium acremonium in corn seed, 577
acremonium, fungicides effect on germination and oxygen uptake, 497
gregatum in soybean, factors affecting, 4
plating technique, 502
spp. in banana roots, 689
Ceresan, see under Fungicides
Ceratostomella fimbriata, sweet potato varieties reaction to, 383
ulmi, effect of metabolites of Actinomycetes on coremia, 111
Cercospora beticola, 482
capsici, 233
conidia, **illus.**, 235
diffusa, *C. unamunoi*, identity from, 233
conidia, **illus.**, 235
papayae, etiology and control, 499
rigospora, *C. unamunoi*, identity from, 233
conidia, **illus.**, 235
unamunoi, identity from *C. diffusa* and *C. rigospora*, 233
morphology, **illus.**, 235
parasitized by *Botrytis* **yuae** sp. nov., 233
in pepper, in the Americas, 233
pepper leaf symptoms from, **illus.**, 234
Cereal production regions, Mexico, 399
seed-borne disease control, antibiotics, 704
soil mycoflora and disease incidence, 57
CERVANTES, JAVIER, (406)
Chaetomium, 293
cochliodes, *Helminthosporium victoriae*, antagonism, 686
globosum, *Helminthosporium victoriae*, antagonism, 686
spp., *Helminthosporium pedicellatum*, antibiotic effect, **illus.**, 687
Chalara quercina, see *Endoconidiophora fagacearum*
Chalcid, clover wound-tumor virus, 548
CHAMBERLAIN, DONALD W., 4
CHAMPLIN, BARBARA, (493)
CHAPMAN, RICHARD A., 542
Chard, turnip virus 1 strains in, 632
Chemotherapeutants, Bayer 19117, avocado Phytophthora root rot, 511
calcium chloride, lettuce big vein, 504
carbazole, tomato Fusarium wilt, 486
chloramphenicol, TMV and PLMV, inhibition by, 529
3-P-chlorophenyl-5-methyl rhodanine, tomato root-knot control, 431
dibenzofuran, tomato Fusarium wilt, 486, 680
dibenzothiophene, tomato Fusarium wilt, 486, 680
2,4-dichlorophenoxyacetic acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
fluorene, tomato Fusarium wilt, 486, 680
indoleacetic acid, lettuce big vein, 504
γ-(indole-3)-n-butyric acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
guanazola, TMV and PLMV, inhibition by, 529
heterocyclic compounds, tomato Fusarium wilt, 680
8-hydroxyquinoline benzoate, avocado phytophthora root rot, 511
α-naphthaleneacetic acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
naphthaleneacetic acid, lettuce big vein, 504
α-naphthaleneacetic acid and wound-tumor virus, synergistic effect on plant cells, 482
pentachlorophenoxyacetic acid, avocado Phytophthora root rot, 511
sodium 2-benzothiazyl thioglycolate, avocado Phytophthora root rot, 511
thiouracil, TMV and PLMV, inhibition by, 529
2,4,6-trichlorophenoxyacetic acid, avocado Phytophthora root rot, 511
lettuce big vein, 504
zinc sulfate, lettuce big vein, 504
Chemotherapy, heterocyclic compounds, tomato Fusarium wilt, 486
Phytophthora root rot of avocado, 511

Chemotherapy—*continued*
TMV and PLMV, inhibition of, 529
tomato Fusarium wilt, 680
Cherry buckskin virus, Napa strain, leafhopper transmitted to peach, 494
Eckelrade disease, leafhopper vector, Europe, 111
CHERRY, EDWARD, (498)
Cherry, free amino-acids in healthy and diseased leaves, 486
little cherry disease, hosts for, 510
Montmorency, western-X-little cherry virus **illus.**, 219
necrotic ring spot virus, cucumber host, 303
ring spot virus, nucleic acid content of leaves, 498
strain relationships on peach and cucumber, 492
rust, 388
sour, bark splitting virus, 484
necrotic ring spot virus symptoms, **illus.**, 305
virus transmission to cucumber, 303
sweet, Lambert mottle-like virus, Montana, 481
rugose mosaic virus complex, variations in, 500
virus in cucumber, host range, 303
in squash, 303
western-X-little-cherry virus, leafhopper vector, 218
yellows virus, cucumber host, 303
CHILTON, JOHN E., 484
Chloramphenicol, see under Chemotherapeutants
Chloranil, see under Fungicides
Chlorobromopropene, see Fungicides and Soil fumigants CBP-55
3-P-Chlorophenyl-5-methyl rhodanine, seen under Nematocides
Chlorophyll content, apple foliage, effect of fungicides, 111
Chokecherry, X-disease virus, distribution, 488
X-disease virus, **illus.**, 182
host range and pathogenesis, 180
Choline, *Venturia inaequalis*, deficient induced mutants, 482
CHRISTENSEN, CLYDE M., 484
CHRISTENSEN, J. J., (511)
Christmas rose black spot symptoms and control, 485
Chrysanthemum bacterial wilt control, 646, **illus.**, 650
Circulifer tenellus, beet curly top vector, 123
Citron, muskmelon mosaic virus type strain on, 371
Citrus, *Hendersonula toruloidea* in, 635
hybrid seedlings, resistance to citrus nematode, 456
spp. X *Poncirus trifoliata* hybrid response to citrus nematode, 458
tristeza, honey-combing, macroscopic symptom, 485
Cladosporium cucumerinum control, 507
cucumerinum, pH effect on growth on agar, 103
spore germination growth factor, 507
in susceptible and resistant varieties, 459
temperature effect on invasion of tissue, 459
in tissues, **illuss.**, 461, 462
fulvum tomato resistance, 410
CLARKE, OSCAR F., (456)
CLEMENT, E. F., (504)
Clover, alsike, damping-off and root rot, 451
alsike, source of virus inoculum, 491
crimson, damping-off and root rot, 451
leafhopper vector of wound-tumor-like virus, 111
source of virus inoculum, 491
Ladino, damping-off and root rot, 451
phyllody associated with potato late-breaking virus, 503
Pythium spp. pathogenicity on seedlings, 572
Sclerotinia rot control, 493
pea-enation mosaic virus, aphid vectors, 283
pea streak virus, aphid transmission, 569
Pythium spp. effect on seedlings, 491
red, damping-off, varietal response, 451
fungi associated with root rots, pathogenicity, 292
pathogenicity on roots and crowns, 489
methods for testing pathogenicity, fungi, 292
root and crown rots, fungi associated with, 252
symptoms, **illus.**, 255
roots infected with *Leptodiscus terrestris*, **illus.**, 452
seedlings, effect of fungi isolates, **illus.**, 295, 296
Clover—*continued*
source of virus inoculum, 491
vein-mosaic virus, source and method, inoculum, 491
root nematode pathogenicity in sterile and non-sterile soil, 496
sweet, damping-off and root rot, 451
Pythium spp. pathogenicity on seedlings, 572
source of virus inoculum, 491
white, damping-off and root rot, 451
wound-tumor virus, *tetrastichus* sp. effect, 548, **illus.**, 549
Coffea arabica, root-disease complex, Fusarium phase, 509
dewevrei resistance to Fusarium, 509
Coffee, fungi isolated from dying branches, 509
root-disease complex, Fusarium phase, 509
COHEN, MORTIMER, 485
COHOON, DANIEL F., 109, (109)
Cole slaw, packaged, chemical dips, streptomycin, 389
Colladonus geminatus, see under Insects, leafhopper
Colletotrichum atramentarium, effect of antibiotics from Actinomycetes on pigmentation, 111
camellia dieback, associated with, 129
circinans, pH effect on growth on agar, 103
hibisci, kenaf, pH of tissue related to parasitism by, 465
lagenarium, pH effect on growth on agar, 103
in watermelon seed, **illus.**, 679
watermelon seed, invasion and treatment for control, 675
lindemuthianum, bean pulvini resistance to infection by, 64
effect on growth on agar, 103
effect of growth regulators on, in kidney bean, 111
phomoides, pH effect on growth on agar, 103
COLLINS, J. L., 662
Commelina spp., aster ringspot virus in, 90
COMPTON, LEROY E., (483)
Coniothyrium hellebori, temperature and pH effect, 485
sp., alfalfa dark necrosis associated with, 138
CONNELL, T. D., (377)
COOK, A. A., 374
COOPER, W. E., 331
Copper, see under Fungicides
naphthenate for disinfection plant containers, 65
root injury, 65
treated flats, pepper seedling root injury, **illus.**, 67
toxicity to seedlings, **illus.**, 66
Corium solani, see Viruses, potato leafroll
Corn, amino-acids and carbohydrates in healthy and gall tissues, 486
breeding and production, Mexico, 391
Fusarium on, related to crop sequence, 57
healthy and gall tissues, analysis for free metabolites, 486
hybrid program, FAO, 396
and synthetics, use in Mexico, 391
inbreds and hybrids, cooperative uniform testing, 396
improvement program in U. S., 396
mosaic virus, symptoms and host range, 488
production, problems and programs, Mexico, 391
Pythium root rot control, soil microflora, 69
reduction by actinomycete isolate, **illus.**, 71
roots, *Pythium arrhenomanes* infection classes on, **illus.**, 70
rust resistance and pathogenicity of pathogen, genetic basis, 496
seed pericarp injury effect on infection, 575
treatment tests, 575
seedlings, cold temperature, growth retarded, **illus.**, 578
soil mycoflora and disease incidence, 57
virus in *Lilium speciosum*, 497
Corticium in coffee roots, 509
microsclerotia, see syn., *Pellicularia filamentosa*
Corynebacterium helvolum in bean, 588
michiganense, tomato resistance, 412
sepedonicum, potato ring rot incitant, 481
temperature effect on development, 496
spp., antigenic analysis, 603
COTTA, W. J., JR., 485

Cotton bacterial blight, pathogenicity of strain of pathogen, 332
bacterial blight, resistant and susceptible plants, 332
soil carry-over, 331
Fusarium, metabolites effect on susceptible and resistant varieties, 159
oxysporum f. *vasinfectum* filtrates effect on tops and roots, **illus.**, 165
spp., metabolites production of vascular browning, 156
wilt, reniform nematode, complex, 447
and reniform nematodes, **illus.**, 449
root-knot resistance, yield, varieties compared, 333
sting nematode, greenhouse tests, 683
leaf crumple virus, 479
symptoms, **illus.**, 480
nub root seedling disease expressed in mature plant, 333
Phytophthora root rot, 487
root-knot, wilt resistance, yield, varieties compared, 333
soreshin control, 331
stand failure control, seed-furrow fungicide application, 331
Tylenchorhynchus claytoni on, 332
varieties, yields, wilt and root-knot resistance compared, 333
COUCH, HOUSTON B., 485, 715
Cowpea, alfalfa mosaic virus, varieties response to, 498
apple mosaic virus, mechanical transmission, 511
aster ring spot virus, 87
cucumber mosaic virus resistance to, 506
peach yellow bud virus, mechanical transmission, 511
Rhizoctonia aerial blight, 217
Sporotrichum sp. effect on, 478
tobacco ring spot virus assay, 86
viruses, drying rate and potassium phosphate, effect on infection, 389
COX, CARROLL E., (492), (506)
COX, CHARLES D., (603)
Cox, R. S., 325
Crag 341, see Fungicides, glyodin
CRANDALL, BOWEN S., (465)
Crataegus oxyacantha rosea, see Hawthorn, English
CRITOPOULOS, P. D., 551
CRITTENDEN, H. W., 388
Crop sequence, soil mycoflora and disease incidence, 57
Crotalaria, Rhizoctonia aerial blight, 217
Crystal violet, bacteria and fungi control in soil, 505
Cucumber, apple mosaic virus, mechanical transmission, 511
aster ring spot virus in, 87
cherry ring spot virus strain relationship on, 492
cherry virus, susceptibility to, **illus.**, 310
symptoms on, **illuss.**, 305, 308
related to age of plant, **illus.**, 306
Cladosporium cucumerinum germination in, 507
in susceptible and resistant varieties, 459
in tissues, **illuss.**, 461, 462
effect of virus on nucleic acid content of cotyledons, 526
Fusarium wilt studies, 501
galls and "curly-top", dagger nematode, 389
mosaic virus, histological and cytological studies, 502
host range, 632
potato virus X double infections, 504
plum rough bark virus, mechanical transmission, 511
Prunus necrotic ring spot virus, 110
rhubarb ring spot-like virosis on, 118
rhubarb ring spot virus in, **illus.**, 120
root-knot, assay, 43
scab control, 507
seedlings, nucleic acid content variability, 525
stone fruit virus in, chemotherapy studies, 529
host for research, 303
pH and dilution of infectivity, effect, 533
watermelon mosaic virus strains on, 198
Cucumis virus 3, *Marmor citrulli* compared, 201
Cucurbita spp., muskmelon mosaic virus strains on, 371
spp., watermelon mosaic virus on, 200
Cucurbits, stone fruit viruses in, thermal inactivation of isolates, 538
Cuerna spp., Pierce's disease vectors, 11
CULBERTSON, J. O., (495)
CUNNINGHAM, H. S., (496)
Curly dock, rhubarb ring spot-like virosis on, 118
rhubarb ring spot virus in, **illus.**, 120
Cyclanthera pedata, muskmelon mosaic virus strains on, 371
watermelon mosaic virus strains on, 198
Cymbidium sp. leaf mosaic, comparative studies, 500
9-Cyanoethyl-carbazole, cucumber scab, 507
Cyperus sp., Rhizoctonia aerial bilght, 217
Cytospora, decay in tapped sugar maples, 12

Dactylis glomerata, see Grass, orchard,
DAINES, ROBERT H., (109), 109
Damping-off control, copper naphthenate, 65
DARLEY, ELLIS F., 485, (494)
Datura stramonium, potato curly top virus, 127
stramonium, potato leafroll virus, aphid transmission, 167
DAVIDSON, O. W. (646)
DAVIDSON, ROSS W., 485, 606
DAVIS, DAVID, 485, 486, 680
DAVIS, LILY H., (39)
DAVIS, SPENCER H., 110
DEAN, LESLIE L., 486
DEKKER, CHARLES A., (643)
DELP, CHARLES J., 615
Dendrobium superbum leaf mosaic and flower break, comparative studies, 500
Dendroctonus engelmanni, wood-staining fungi associated with in spruce, 485
DESJARDINS, P. R., 86, 486
DEVAY, J. E., (356), 486, 583
Dew deposits recording device, 390
and temperature incubation chamber, 498
DEZEEUW, DONALD J., 486
DIACHUN, STEPHEN, 186
Dianthus barbatus, see Sweet william
caryophyllus, see Carnation
spp., Fusarium wilt, susceptible to, 276
Diaporthe phaseolorum var. *batatatis* asexual spore stage role in spread, 489
phaseolorum var. *batatatis*, var. *Caulivora* compared, 322
var. **caulivora**, var. nov., 319
var. *sojae*, 319
spp., sweet potato, 322
stem canker on soybean, **illus.**, 320
Dibromobutene, see under Fungicides
Dichlone, see under Fungicides
2,3-Dichloro 1,4-naphthoquinone, see Fungicides, dichlone
2,4-Dichlorophenoxyacetic acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
Dichloropropene-dichloropropane, see Fungicides and Soil fumigants, DD
DICKSON, J. G., (188), (247), (252), (292), (496), (508), (572)
DICKSON, R. C., 479
DIENER, T. O., 486, 643
DIENER, URBAN L., 332
Digitaria ischaemum, Rhizoctonia aerial blight, 217
2,4-Dihydroxy benzaldehyde, nematocidal value, 508
DILLER, J. D., 388
DIMOND, A. E., (485), (509), (680)
2,4, Dinitro-6-carylphenyl crotonate, see Fungicides, Karathane
Diplocarpon rosae, pathogenic races, 389
Diplodia fruit rot on Elberta peach, **illus.**, 472
fruit rot of peach, 471
isolated from coffee, 509
temperature effect on growth, 471
theobromae, camellia dieback and canker associated with, 130
zeae in corn seed, 577

Diplodina **persicae**, sp. nov., 134
sp., conidia and pycnidium, stained mounts, **illus.**, 135
symptoms on peach fruits and leaves **illus.**, 135
Diplogaster sp., nematocide tests, 112
Disease control, international cooperation, 421
Disease resistance, bean, Columbia improvement program, 484
brome grass clonal lines to Selenophoma leaf spot, 655
cabbage to blackrot, 331
carnation varieties to bacterial wilt, 713
corn to rust, 496
cotton to nematode-wilt complex, 447
varieties to wilt, root-knot, 333
cowpea to cucumber mosaic, 506
ionizing radiation, alteration of, 509
lima bean to root-knot, 1
oats to Helminthosporium blight and crown rust, 504
to rust, crown and stem, breakdown of, 483
pineapple, Cayenne, to mealybug wilt, mutations, 662, **illus.** 665
potato to late blight, Mexico, 406
varieties to leafroll related to aphid feeding, 496
to viruses, 415
wild and cultivated from Peru, to infection by *Phytophthora infestans*, 500
rye to rust, 504
soybean to root-knot, 388
strawberry to Verticillium wilt, 510
tomato to bacterial disease, 412
breeding with *Lycopersicon* wild species, 409
to early blight, 410
to Fusarium wilt, 94, 411
to gray leaf spot, 411
to leaf mold, 410
to root-knot, 413
to Septoria leaf spot, 411
to Verticillium wilt, 410
to virus diseases, 412
wheat to loose smut, 266
to powdery mildew, 266
to scab, 505
to stem rust, 266, 346, 400
Dithane Z-78, see Fungicides, zineb, 110
Dithiocarbamates, see under Fungicides
Ditylenchus spp., see under Nematodes
DOCHINGER, LEON S., 110
Dodder, stone fruit virus transmission studies, 303, 511
Dolichodorus heterocephalus, nematocide tests, 112
Dolichos sp., Rhizoctonia aerial blight, 217
sp., Rhizoctonia blight on, **illus.**, 216
DOOLITTLE, S. P., 409
Dothiorella from apple, 505
Dothistroma pini incitant needle disease of pines, 333
DOWN, E. E., (481)
Draeculacephala spp., see under Insects, leafhopper
DRAKE, R. J., (486)
DROLSOM, P. N., 188
DROPKIN, V. H., 43
DUNEGAN, JOHN C., 388, 487
Dwarf mistletoe invasion of lodgepole pine, 552, **illus.** 552
on Ponderosa pine, spread and intensity, 504

Eckelrade disease of cherry, leafhopper vector, Europe, 111
Echinochloa coloma, Rhizoctonia aerial blight, 217
EIDE, CARL J., (484), (496)
Electrophoretic mobility of TMV, reaction with formaldehyde, 484
pattern, *Cattleya* orchid virus, **illus.**, 316
Eleusine indica, Rhizoctonia aerial blight, 217
Elfvingia applanata, beech wood blocks decayed by haploid and diploid isolates, **illus.**, 264
applanata, beech wood rot by haploid, diploid mycelia, 260
mycelia of haploid isolates, **illus.**, 264
ELLIOTT, EDWARD S., (508)
Elm mosaic virus transmission to peach, 499
Elymus canadensis, wheat streak mosaic, 506
Elytroderma deformans, effect of temperature and moisture on growth, 561
deformans germination, 562, **illus.** 563
pathology and growth, 557
pine, **illuss.**, 559, 565, 566
Endive, lettuce mosaic virus, rod-shaped particles in tissues, 715
Endoconidiophora coerulescens associated with Engelmann bark beetle, 485
coerulescens, sugar utilization, 510
fagacearum development in bur oak, 502
effect of temperature and humidity on longevity, 61
fungus mat in oak, histology, 507
growth on Nutramigen, **illus.**, 63
longevity in diseased trees, 328
northern pin oak diseased and normal sections, photomicrographs, **illus.**, 151
pH effect on growth on agar, 103
sporulation related to host moisture content, 488
sugar utilization, 510
toxin, 2 components, 334
tyloses and gums, oak, 148
oak stems, camera lucida, **illus.**, 149
moniliformis, sugar utilization, 510
virescens, sugar utilization, 510
ENGLISH, HARLEY, 487, (500)
Enzymes, pectinmethylesterase of Fusaria, production of vascular browning, 153
pectinmethylesterase of Fusaria, temperature, effect of, 153
produced by *Fusarium oxysporum* f. *lycopersici*, 509
polygalacturonase of Fusaria, production of vascular browning, 153
Fusaria, temperature effect of, 153
produced by *Fusarium oxysporum* f. *lycopersici*, 509
polyphenol oxidase, effect of fungicides on, 501
Erdalith on plant containers, 65
Erigeron phyllody, 503
ERSPAMER, J. L., (512)
ERWIN, DONALD C., 137, 487, 700
Erwinia amylovora control, 511
amylovora, flagella and virulence, 194
growth rates and virulence, 196
morphology, 194
pathogenicity, 192
pear, control by streptomycin-terramycin mixture, 487
physiology, 195
stability studies, 192
virulence, effect of transfers on, 5 yr. period, 194
virulence, parent vs. single cell progenies, 195
caratovora, actidione effect on, 144
potato varieties resistant to infection by, 30
temperature effect on potato resistance to infection by, 30
crysanthemi control, streptomycin, 646, **illus.** 650
Erysiphe graminis hordei in barley leaf tissue, **illuss.**, 658, 659
graminis var. *hordei* in cereals, histology, 657
tritici, temperature effect on development, 247
tritici, wheat selections resistant to, 267
polygoni, bean pulvini resistance to infection by, 64
Escherichia coli as indicator of streptomycin in plant tissue, 25
Eschscholtzia californica, see Poppy, California
Ethanol with helixin for small grain seed-borne disease control, 704
Ethyl alcohol effect on *Verticillium albo-atrum* toxins, 433
mercury p-toluene sulfonanilide, see Fungicides, EMTS
Ethylenebisdithiocarbamates, see under Fungicides
Ethylenethiuram monosulfide, see Fungicides, ETM
Euscelis plebejus, cherry Eckelrade disease vector, 111

Fabraea maculata, leaf spot of hawthorn, sprays, 110
Fagus crenata, see Beech
grandifolia, decay, *Valsa leucostomoides*, 13
FARRAR, L. L., 487

FEDER, WILLIAM A., 428
FELLOWS, HURLEY, 487
Ferbam, see under Fungicides
FERGUS, CHARLES L., (61), (328)
Ferric sulfate effect on chlorophyll, apple foliage, 111
FERRIS, VIRGINIA ROGERS, 110, 487, 488
FINLEY, A. M., 488
Fir, Douglas, wood-decay fungi, growth tests, 388
Fire blight ooze and toxin production, 193
Flax, *Aspergillus* slow-growing strain isolated from, 484
rust, genetics of host-parasite interaction, 488
longevity related to temperature and other factors, 469
seed damage, breeding, 495
FLOR, H. H., 469, 488
Fomes spp. in coffee, 509
Formaldehyde, TMV reaction with, kinetic studies, 484
Foxtail, wild, corn mosaic on, 488
Fragaria vesca inactivation studies, 489
Fraxinus americana, decay, *Valsa leucostomoides*, 13
FRAZIER, NORMAN W., (7)
FREEMAN, T. E., 488
FREITAG, J. H., 7
FRENCH, D. W., 488
FREY, K. J., (483)
FRIDLUND, PAUL R., 488
Friscanus friscanus, Pierce's disease vector, 11
FROSHEISER, F. I., 489
FULTON, N. D., 489
FULTON, R. H., 489
FULTON, R. W., (335), (473)
Fumigant action of organic phosphate insecticides, nematodes, 430
Fungi, actidione suppression of, in culture, 144
bacterial inhibitors effect, soil dilution plate method, 505
bean pulvini resistance to infection by, 64
camellia dieback and canker, associated with, 130
clover root and crown rots associated with, 252
genetics of compatibility, 338, 343, 353
inhibition by acidic buffers, 101
isolates effect on red clover seedlings, **illus.**, 295, 296
lylophilization for preservation, *Pythium* spp., 213
method for testing pathogenicity, red clover, 292
methyl bromide concentration and effect, nursery soil, 605
origin of pathogenic races, 338
pathogenicity on red clover roots and crowns, 489
tests, lab. equipment, **illus.**, 293
phytopathogenic, genetics, introductioin to symposium, 337
red clover, root rot, 292
slide mounts in agar, quick method, 106, **illus.** 107
smut genetic phenomena related to dynamics of species, 352
hybridization in relation to origin of species and races, 352
soil, antibiosis, *Pythium arrhenomanes*, 69, 377
pH effect on populations, 377
wood decay, growth tests, forest and root-cellar conditions, 388
Fungicides, general, *Botrytis cinerea* in column stock, 39
carnation Fusarium wilt, 110
carrots Alternaria blight, 112
corn seed treatments, 576
deposition and tenacity, dynamics of, 203
drenches in soil technique for biological assay, 499
effect on chlorophyll of apple foliage, 111
field screening, potato late blight, 112
hawthorn leaf spot, 110
injury, column stock, 39
iris crown rot soil treatments, 489
iron salts with, effect on chlorophyll, apple foliage, 111
metabolic processes affected by, in *Fusarium roseum*, 506
peach canker, 109, 111
rot control, 390
pine needle disease control, 333
polyphenol oxidase from *Agaricus campestris*, effect on, 501
Fungicides general—*continued*
screening method for, non-toxic to tree seeds, 509
seed-furrow application to control stand failures, 331
spore germination agar plate method for assay, 113
and oxygen uptake effect, 497
storage injury, column stock, 39
tenacity measurement, technique, 505
vapor action of mercury seed treatment materials, 380
Fungicides, Agrox (phenol mercury urea), oats blight, 380
Agrox, wheat smut, 503
Anticarie, iris crown rot, 489
barium chloride, 387
barium ethylenebisdithiocarbamate, apple scab, 387
miticide, 387
benzoic acid, *Pythium*, *Rhizoctonia*, 509
Bordeaux, bean halo blight, 499
carrot Alternaria blight, 112
deposits and weathering, zineb compared, 203
hawthorn injury, 110
and monocalcium arsenite, peach canker, 109
peach twig injury, 109
pine needle disease, 333
Pythium, 509
stone fruit bacterial canker, 487
boric sulfate, *Pythium*, *Rhizoctonia*, 509
cadmium-chromium, *Rhizoctonia solani*, 493
captan (N-trichloromethylthio tetrahydrophthalimide)
bean halo blight, 499
biochemical action of, 492
Botrytis infection, column stock, control, injury, 41
carrot Alternaria blight, 112
Christmas rose black rot, 485
cotton stand failure, 331
cucumber scab, 507
hawthorn leaf spot, 110
iris crown rot, 489
mint rust, 484
papaya black spot, 499
peach canker, 109, 111
fruit rot, new, 134
leaf spot, 111
Monilinia decay, 390
Pythium, *Rhizoctonia*, 509
spore germination and oxygen uptake effect, 497
carbamates, peach canker, 109
Carbide & Carbon 5400, corn seedlings, 580
carbon disulfide, *Armillaria mellea* related to biologic control, 485
CBP-55 (chlorobromopropene), iris crown rot, 490
ceresan, watermelon Anthracnose and gummy blight, 675
Ceresan M, barley loose smut, 330
oats blight, 380
wheat smut, 503
M2X, wheat snow mold, 504
chloranil (tetrachloro-p-benzoquinone), barley loose smut, 329
corn seed treatment, 576
effect on metabolism of *Fusarium roseum*, 506
Pythium, *Rhizoctonia*, 509
spore germination and oxygen uptake effect, 497
watermelon Anthracnose and gummy blight, 675
chlorinated ethanes, fungicidal value, 501
ethylenes, fungicidal value, 501
hydrocarbons, fungicidal value, 501
nitrobenzenes, effect on stored roses, 503
copper, fixed, carrot Alternaria blight, 112
lime dust, pear fireblight, 481
naphthenate, damping-off, 65
for disinfesting plant containers, 65
root injury, 65
spore germination and oxygen uptake effect, 497
stone fruit bacterial canker, 487
sulfate, peach spring canker, 502
Crag 341, see Fungicides, glyodin
Crag F 531, carnation Fusarium wilt, 110

Fungicides—*continued*

Crag 658, mint rust, 484
Crag 5400 (α,α-trithiobis[N-dimethyl-thioformamide]), cotton stand, 331
iris crown rot, 489
peach fruit rot, new, 134
crystal violet, bacteria and fungi control in soil, 505
9-cyanoethyl-carbazole, cucumber scab, 507
DD (dichloropropene-dichloropropane), iris crown rot, 489
dibromobutene, carnation Fusarium wilt, 110
Dichlone, 2,3-dichloro 1,4-naphthoquinone, coined name, 370
corn seed treatment, 576
effect on chlorophyll, apple foliage, 111
metabolism of *Fusarium roseum*, 506
peach canker, 109, 111
leaf spot, 111
spore germination and oxygen uptake effect, 497
watermelon Anthracnose and gummy blight, 675
dithane, bean halo blight, 499
watermelon Anthracnose and gummy blight, 675
Dithane Z-78, see zineb
dithiocarbamates effect on chlorophyll, apple foliage, 111
dithiocarbamic acid derivatives, polyphenol oxidase from *Agaricus campestris*, effects on, 501
Dowcide A and sulfur dust, peach Monilinia and Rhizopus decay, 390
EMTS (ethyl mercury p-toluene sulfonanilide), wheat snow mold, 504
ethylenebisdithiocarbamates, fungicidal action, mechanism of, 497, 508
ethylenethiuram monosulfide, see ETM
ETM, fungicidal action, mechanism, 497, 508
ferbam, bean smog injury protection, 494
effect on chlorophyll, apple foliage, 111
gardenia Phomopsis canker, 110
papaya black spot, 499
peach canker, 109
fruit rot, new, 134
Pythium, *Rhizoctonia*, 509
spore germination and oxygen uptake effect, 497
ferric sulfate effect on chlorophyll, apple foliage, 111
formaldehyde, TMV reaction with, kinetic studies, 484
formalin, iris crown rot, 711
gladiolic acid, *Pythium*, 509
glyodin, effect on chlorophyll, apple foliage, 111
effect on metabolism of *Fusarium roseum*, 506
2-heptadecyl glyoxalidine acetate, coined name, 370
spore germination and oxygen uptake effect, 497
Goodrite ZAC, carnation Fusarium wilt, 110
heptachlor, *Pythium*, *Rhizoctonia*, 509
2-heptadecyl-2-imidazoline, mechanism of action, 333
miticidal action, 387
reversal with guanine, xanthine, 333
Hyamine, peach spring canker, 502
hydroquinone, nematocidal value, 508
hydroxybenzenes, nematocidal value, 507
imidazoline, peach Monilinia decay, 390
iron-nabam reaction product, fungicidal action, mechanism, 497
Isothan Q 15, peach Monilinia decay, 390
Karathane (2,4,dinitro-6-caprylphenyl crotonate) mint rust, 484
miticidal value, 387
Karmex, mint rust, 484
lactic acid, bacteria and fungi control in soil, 505
lauryl sulfate, *Pythium*, *Rhizoctonia*, 509
lime-sulfur, peach canker, 111
peach leaf spot, 111
lindane, *Pythium*, *Rhizoctonia*, 509
malachite green, *Pythium*, *Rhizoctonia*, 509
maleic hydrazide, cucumber scab, 507
maneb, manganous ethylenebisdithiocarbamates, coined name, 699
apple scab, 387

Fungicides—*continued*

bean smog injury protection, 494
Botrytis infection, column stock, control, injury, 41
carrots, Alternaria blight, 112
effect on chlorophyll, apple foliage, 111
fungicidal action, mechanism, 497
hawthorn leaf spot, 110
mint rust, 484
miticidal action, 387
papaya black spot, 499
Pythium, *Rhizoctonia*, 509
Manzate, see Fungicides, maneb
Manzate 75, cotton stand failures, 331
Mathieson 273, 1194, 1197, 1589, 1439, 1440, iris crown rot, 489
mercuric chloride, polyphenol oxidase, effects on, 501
watermelon Anthracnose and gummy blight, 675
mercury chlorides, *Rhizoctonia solani*, 493
mercury, organic compounds, stone fruit bacterial canker, 487
metal complexing agents, polyphenol oxidase, effects on, 501
methyl-mercury-dicyandiamide, see Fungicides, Panogen
Microgel, bean halo blight, 499
nabam, 387
fungicidal action, mechanism, 497
Pythium, *Rhizoctonia*, 509
spore germination and oxygen uptake effect, 497
and zinc sulfate, zineb, wettable, deposits and weathering compared, 203
natriphene, carnation Fusarium wilt, 110
NP-1083, 1282, iris crown rot, 489
orthocide, see captan
oxyquinolene, *Pythium*, *Rhizoctonia*, 509
Panogen (methyl-mercury-dicyandiamide) effect on fungi in wheat seed, 500
oats blight, 380
wheat smut, 503
Parzate, see zineb
PCNB (penta-chloronitro-benzene), *Botrytis* sp. on stored roses, 503
clover Sclerotinia rot, 493
iris crown rot, 489
pentachloronitrobenzene, see Fungicides, PCNB
phenol mercury urea, see Fungicides, Agrox
phenol, spore germination and oxygen uptake effect, 497
phenolic compounds, polyphenol oxidase, effects on, 501
phenyl mercury acetate, Christmas rose black rot control and plant injury, 485
phenyl-mercury-ammonium-acetate, see Fungicides, Setrete
Phygon, see Fungicides, Dichlone,
Phygon-XL, hawthorn leaf spot, 110
PMAS, gardenia injury, 110
gardenia Phomopsis canker, 110
hawthorn injury, 110
ryegrass cottony blight, 509
polyethylene polysulfide, 112
potassium dialkyldithiocarbamates, fungicidal action, 499
Premerge, (dinitro amine), mint rust, 484
quinones, polyphenol oxidase effects on, 501
resorcinol, nematocidal value, 508
rose bengal, bacteria and fungi control in soil, 505
salicylic acid, ryegrass cottony blight, 509
semesan, watermelon Anthracnose and gummy blight, 675
Setrete (phenyl-mercury-ammonium-acetate) effect on fungi in wheat seed, 500
oats blight, 380
Shell AL 126, N521, XP63, peach Monilinia decay, 390
silver, spore germination and oxygen uptake effect, 497
sodium dimethyl dithiocarbamate effect on chlorophyll, apple foliage, 111
Spergon, see Fungicides, choranil
Stauffer, N-244, N-521, iris crown rot, 489
sulfur dioxide, forcasting grape decay in storage, 492
sulfur and Dowcide A, peach Monilinia and Rhizopus

Fungicides—*continued*
decay, 390
ferbam, effect on chlorophyll, apple foliage, 111
peach fruit rot, 136
spore germination and oxygen uptake effect, 497
Venturia inaequalis mutants resistant to, 496
tetrachloroethylene, *Monilinia fructicola*, toxicity, 501
peach Rhizopus decay, fumigation, 390
thiocarbamates, peach canker, 111
peach leaf spot, 111
thiocarbazides, polyphenol oxidase from *Agaricus campestris*, effects on, 501
thioureas, polyphenol oxidase from *Agaricus campestris*, effects on, 501
thiram, bean smog injury protection, 494
corn seed treatment, 576
cotton stand, 331
effect on chlorophyll, apple foliage, 111
peach canker, 111
leaf spot, 111
Pythium, Rhizoctonia, 509
Rhizoctonia solani, 493
Venturia inaequalis mutants resistant to, 496
watermelon Anthracnose and gummy blight, 675
tribasic copper sulfate, papaya black spot, 499
1,1,2-trichloroethane, *Monilinia fructicola*, toxicity, 501
trichloroethylene, *Monilinia fructicola*, toxicity, 501
peach Rhizopus decay, fumigation, 390
trinitrotoluene, *Pythium, Rhizoctonia*, 509
Vancide, effect on chlorophyll, apple foliage, 111
Vancide 51, *Botrytis* sp. on stored roses, 503
hawthorn injury, 110
Pythium, Rhizoctonia, 509
Vancide manganese effect on chlorophyll, apple foliage, 111
zinc undecylenate, mint rust, 484
zineb (zinc ethylenebisdithiocarbamate), 387
bean halo blight, 499
smog injury, protection, 494
bimodal fungitoxicity curve, 512
Botrytis infection, column stock, control, injury, 41
carnation Fusarium wilt, 110
carrot Alternaria blight, 112
deposits and weathering, Bordeaux compared, 203
hawthorn leaf spot, 110
papaya black spot, 499
peach fruit rot, 136
Pythium, Rhyzoctonia, 509
ryegrass cottony blight, 509
ziram, bean smog injury protection, 494
carrot Alternaria blight, 112
papaya black spot, 499
Fusarium moniliforme in corn seed, 577
moniliforme pathogenicity on red clover roots and crowns, 489
nivale, wheat snow mold incitant, control, 504
oxysporum, clover, red, root and crown rots associated with, 252
cucumber, 501
distribution in tomato, 94
effect on red clover seedlings, **illuss.**, 295, 296
metabolites production of vascular browning, 155
pathogenicity on red clover roots and crowns, 489
red clover root rot, pathogenicity, 293
f. *asparagi* effect on decline and replant problem, 490
f. *barbati*, host range test, 275
f. *batatas, F. solani* f. *batatas* cross-protection tests, 482
f. *coffeae*, effect on coffee roots, 509
f. *conglutinans*, cabbage leaf vein-clearing, **illus.**, 161
distribution in tomato, 94
metabolites effect on susceptible and resistant hosts, 159
production of vascular browning, 155
radish, resistant and susceptible plants, treated with filtrates of, **illus.**, 163

Fusarium—*continued*
f. *cubense* in banana roots, 689
f. *dianthi*, host range, 275
f. *gladioli*, methyl bromide, 606
f. *lycopersici*, distribution in tomato, 94
effect of antibiotics from Actinomycetes on pigmentation, 110
metabolites production of vascular browning, 153
pectic enzymes produced in hosts, 509
pH effect on growth on agar, 103
f. *melonis*, 501
var. *nicotianae*, wilting studies, 513
f. *niveum*, 501
f. *pisi*, metabolites production of vascular browning, 155
f. *vasinfectum* in cotton, sting nematode, greenhouse tests, 683
filtrates effect on cotton tops and roots, **illuss.**, 165
metabolites effect on susceptible and resistant hosts, 159
production of vascular browning, 155
plating technique, 502
roseum alfalfa dark necrosis, associated with, 138
captan inhibition of growth, nature of, 492
clover root and crown rots, associated with, 252
isolated from coffee roots, 509
pathogenicity on red clover roots and crowns, 489
red clover root rot, pathogenicity, 293
red clover seedlings, **illuss.**, 295, 296
solani, see also *Hypomyces solani*
alfalfa dark necrosis, associated with, 138
banana roots, 689
clover root and crown rots, associated with, 252
pathogenicity on red clover roots and crowns, 489
red clover root rot, pathogenicity, 293
red clover seedlings, **illuss.**, 295, 296
f. *batatas, F. oxysporum* f. *batatas*, cross-protection tests, 482
f. *phaseoli*, metabolites production of vascular browning, 155
pathogenicity in different soils, 483
f. *pisi*, metabolites production of vascular browning, 155
sp. in bean, 588
mercurial seed treatments effect on, in wheat seed, 500
spp., camellia dieback and canker, associated with, 130
host range test, 275
metabolites production of vascular browning, 153
soil mycoflora effect on infection of cereals, 57
watermelon rotting associated with, 675
seed, 675
wheat, Hessian fly related to, 224
wilt, altering resistance with ionizing radiation, 509
cotton, reniform nematode, complex, 447
sting nematode, greenhouse tests, 683
cucumber, 501
decline and replant problem asparagus, 490
phenols, source and role of, in symptoms, tomato, 485
and reniform nematodes on cotton, **illus.**, 449
root-knot, cotton varieties compared, 333
tomato, chemotherapeutic activity of heterocyclic compounds, 486
chemotherapy, 680
resistance, 411
stem, x-sec., **illus.**, 99
Fusicoccum amygdali, peach infections by, 109, 111
FUTRELL, M. C., 247, (502)

GAINOR, C., (107)
Gall tissue, effect of organic acids on growth, 422
GALLEGLY, M. E., (81), 489, (503)
Galls, *Agrobacterium tumefaciens*, and foliage related to adventitious roots, 107
Agrobacterium tumefaciens on *Kalanchoë daigremontiana*, **illus.**, 108
size *vs.* number of larvae, root-knot, 43

Gardenia, Phomopsis canker control, 110
PMAS injury, 110
Garlic Penicillium clove rot, 506
Gasiorkiewicz, E. C., 110
Gattani, M. L., 113
Genetic factors for compatibility and sex, *Hypomyces solani* f. *cucurbitae*, **illus.**, 341
Genetics, corn rust resistance and pathogenicity of pathogen, 496
Elfvingia applanata, haploid, diploid mycelia, wood-rotting ability, 260
flax, host-parasite interaction rust, 488
flax seed damage, comparative, within paired isogenic lines, 495
tomato, TMV, breeding for resistance, 640
wheat breeding for resistance, 267
Genetics of microorganisms, blocks in sexual process, *Glomerella*, **illus.**, 344
fungi, phytopathogenic, introduction to symposium, 337
Glomerella cingulata, additional mating reaction genes, 510
Helminthosporium sativum segregation and heterocaryosis, 508
heterothallism, evolution, *Glomerella*, 342
Hypomyces solani and other fungi, 338
f. *cucurbitae*, inheritance of factors for compatibility and sex, **illus.**, 341
mutation, role in inheritance and pathogenicity, *Ustilago zeae*, 357
pathogenicity and sex, *Ustilago zeae*, 357
Puccinia graminis tritici, heterocaryosis as a mechanism of variation, 500
sorghi pathogenicity and corn resistance, 496
rust, flax, host-parasite interaction, 488
sex, pathogenicity separation, *Ustilago zeae*, 360
smut fungi, 352
species concept, *Hypomyces solani*, 338
Tilletia caries, *T. foetida*, hybridization between, related to species delimitation, 493
Ustilago zeae, 356
sexual compatibility in haploid lines, 504
Venturia inaequalis, induced mutants, nutritional and pathogenic studies, 482
mutants related to pathogenicity, 362
Geranium bacterial stem rot and leaf spot, 627, **illuss.**, 628, 629
Xanthomonas pelargonii in varietal susceptibility, 629
Gerdemann, J. W., 451
Gibberella zeae in corn seed, 577
zeae, effect of *Aspergillus fumigatus* on, 57
wheat resistance to infection and spread, 505
Giddings, N. J., 123, 125
Gilmer, R. M., 110, 180
Gliocladium roseum, clover root and crown rots associated with, 252
roseum effect on red clover seedlings, **illuss.**, 295, 296
pathogenicity on red clover roots and crowns, 489
red clover root rot, pathogenicity, 293
Globe amaranth, carnation mosaic virus, effect of temperature, 110
Gloeosporium isolated from coffee, 509
Glomerella, genetic blocks in sexual process, **illus.**, 344
genetics and evolution of heterothallism, 342
cingulata, additional mating reaction genes, 510
antimycin A-102 assay, 439
cankers on Camellias, **illus.**, 131
on camellia, 129
pH effect on growth on agar, 103
Gloriosa superba, aster ring spot virus in, 90
Glutamic acid, peach and cherry leaves, 487, 643
Glutamine in corn healthy and gall tissues, 486
peach and cherry leaves, 487, 643
Glycine in peach and cherry leaves, 487, 643
Glycine max, see Soybean
Glyodin, see under Fungicides
Gold, A. Herbert, 115, (715)
Golden, A. Morgan, 389
Gomphrena globosa, see also Globe amaranth
globosa, potato virus X double infections, 504
TMV yellow strain in, 486
Goode, Monroe J., 332
Gossypium hirsutum, see cotton
Gould, Charles J., 489, 711
Grafting technique, *Camellia* variegation studies, **illus.**, 16
transmission of leaf and flower variegation, *Camellia*, 14
Graham, K. M., 490
Graham, T. W., 332, (683)
Grape, Pierce's disease, infectivity of leafhopper vectors, 7
powdery mildew, effect of temperature and humidity, 614, **illus.**, 616
progression from germination to sporulation, **illus.**, 619
in storage, forecasting decay, 492
Grapefruit dieback and canker, *Hendersonula toruloidea* incitant, 635
Hendersonula toruloidea symptoms in trunk and branches, **illus.**, 637
Grass, brome, Selenophoma leaf spot, clonal lines response to, 655
bunt, common and dwarf, histochemical studies on differences in rate of germination, 498
Johnsongrass, *Tylenchorhynchus* on, 331
orchard, downy mildew, new *Sclerophthora* sp. incitant, 494
Sudan, leaf blight, effect of rainfall and temperature, 188
leaf blight, seedling and mature plants, 188
Green, Ralph J., Jr., 433, 490
Greenhouse facility, unique for plant disease research, 495
Greenlee, R. W., (499)
Gregory, Luis E., 490
Gries, George A., (497), (501)
Grogan, R. G., (36), 490
Grosmannia associated with Engelmann bark beetle, 485
Grossbard, Erna, 110
Growth regulators, see Plant growth regulators
Guanazola, see under Chemotherapeutants
Guba, Emil F., 111
Gubernick, A., (495)
Guengerich, H. W., (498)
Guthrie, James W., 473
Gysophila paniculata, Fusarium wilt, susceptible to, 276

Haasis, Frank A., (717)
Hagborg, W. A. F., 490
Hagedorn, D. J., 491, (491), (569)
Halisky, P. M., 491
Hall, Bernarr J., (145)
Haller, M. H., (390)
Halpin, J. E., 491, 572
Hanna, W. F., 404
Hansen, C. J., (487)
Hansen, H. N., (338)
Hansing, E. D., 491
Hanson, Clarence H., (333)
Hanson, E. W., (252), (292), (489), 491, (572)
Hardenburg, R. E., (389)
Harrison, A. L., 332
Harrison, M. B., (496)
Hart, Helen, 491, (506)
Harvey, H. T., 492
Harvey, John M., 492
Hawksworth, Frank G., 552
Hawthorn, English, leaf spot sprays, 110
Hawthorne, P. L., (134)
Hayden, E. B., (491), 492
Heinis, J. L., 492
Helichrysum bracteatum, see Strawflower
Helicotylenchus spp., see under Nematodes
Helixin, see under Antibiotics
Helleborus niger, see Christmas rose

Helminthosporium avenae, 482
blight races, crown rust races, oats combined resistance, 504
pedicellatum, *Chaetomium* spp., antibiotic effect, **illus.**, 687
sativum, 482
barley, 511
and oats control of infection by, 481
genetic segregation and heterocaryosis, 508
pH effect on growth on agar, 103
potassium dialkyldithiocarbamates, fungicidal action, 499
spp., watermelon seed, 675
wheat, Hessian fly related to, 224
turcicum, inoculation method, Sudan grass, 188
pH effect on growth on agar, 103
Sudan grass seedlings and mature plants, 188
victoriae, antibiotics, control, 704
barley and oats control of infection by, 481
Chaetomium spp., antagonism, 686
effect of antibiotics from Actinomycetes on pigmentation, 111
mercury seed treatment control of infection by, 380
mutants, pathogenicity, 334
toxic agent, "Victorin," 334
Helochara delta, Pierce's disease vector, 7
Hendersonula toruloidea in citrus, 635
grapefruit trunk and branches, **illus.**, 637
sunburn related to infection in walnut, 506
HENRY, BERCH W., 385
2-Heptadecyl glyoxalidine acetate, see Fungicides, glyodin
2-Heptadecyl-2-imidazoline, see under Fungicides
Herbicide, ammate, oak wilt tests, 328
sodium arsenite, oak wilt tests, 328
2,4,5,-T., oak wilt tests, 328
Hessian fly injury and crown rot in wheat, **illus.**, 226
Heterodera spp., see under Nematodes
HEWLETT, H. R., (494)
Hibiscus cannabinus, see Kenaf
HILBORN, M. T., 111
HILDEBRAND, E. M., 192
HILDEBRANDT, ALBERT C., 422, 492
Histidine in peach and cherry leaves, 487, 643
Histological studies, tomato gray leaf spot, 332
HOCHSTEIN, PAUL E., 492, (506)
HOLDEMAN, Q. L., 683
HOLLIS, JOHN P., (19)
Holly, English, leaf and twig blight, *Phytophthora* sp., incitant, 483
HOLMES, F. O., 492, 640
HOLTON, C. S., 352, 493, (503)
HOOKER, A. L., (496)
Hoplolaimus sp., 543
HOPPER, B. E., (112)
Hordeum jubatum, wheat streak mosaic, 506
Hordnia circellata, Pierce's disease vector, 7
HORN, NORMAN L., 134, 493
HORNER, C. E., 239, 493
HORRICKS, J. S., (506)
HORSFALL, JAMES G., 19
HOUSTON, BYRON R., (115), 493
HOWARD, F. L., (485), 493
HUANG, S. W., (388)
Humidity effect on oak wilt fungus longevity, 61
and temperature effect on grape powdery mildew, 615, **illus.**, 616
HUNGERFORD, C. W., (486)
HUNTER, R. E., (331), 332
Hydrangea, sap-transmissible virus symptoms in, 696, **illus.**, 697
tomato ringspot virus symptoms in, 696, **illus.**, 697
Hydrogen-ion and calcium ion, potato scab, 19
Hydrogen-ion concentrations, acidic buffers effect on disease incidence, 101
Hydrogen-ion concentrations—*continued*
effect on avocado Phytophthora root rot, 611, **illus.**, 613
stone fruit viruses in cucurbits, 533
tobacco tissue growth and TMV infectivity, 492
kenaf tissue related to parasitism by *Colletotrichum hibisci*, 465
peanut blue damage, 300
Thielaviopsis root rot, effect, 389
TMV reaction with formaldehyde, kinetic studies, 484
tomato early blight, effect on, 101
Hydroquinone, nematocidal value, 508
Hydroxybenzenes, nematocidal value, 507
8-Hydroxyquinoline benzoate, see Chemotherapeutants
Hypomyces solani, origin of pathogenic races, 338
solani, spore forms, **illus.**, 338
f. *cucurbitae*, clonal variations, **illus.**, 339
sporulation on squash, **illus.**, 339
variation cultures from single ascus, **illus.**, 339
HYRE, R. A., 111

Immunity, acquired, bean to rust, 511
Indoleacetic acid and wound-tumor virus, synergistic effect on plant cells, 482
(Indole-3)-n-butyric acid, see under Chemotherapeutants, 111
Inheritance of pathogenicity, *Ustilago avenae*, races, 491
Inheritance of resistance, alfalfa to dwarf virus, 493
bean, Colombia improvement program, 484
varieties to mosaic virus variant strain, 481
cabbage to blackrot, 331
cowpea to cucumber mosaic virus, 506
pineapple, Cayenne, to mealybug wilt, mutations, 662, **illus.**, 665
potato to viruses, 415
strawberry to Verticillium wilt, 510
tomato to bacterial disease, 412
early blight, 410
Fusarium wilt, 411
gray leaf spot, 411
late blight, 409, 489
leaf mold, 410
root-knot, 413
Septoria leaf spot, 411
TMV, 640
Verticillium wilt, 410
Triticum timopheevi, of wheat selections from, 266
wheat to loose smut, selections, 266
powdery mildew, selections, 266
rust, leaf and stem, variety "Knox," 483
stem rust, selections, 266
Inositol, *Venturia inaequalis*, deficient induced mutants, 482
Insecticides, DDT effect on rust infected wheat seedlings, 483
demeton, laboratory evaluation as nematocide, 429
EPN, laboratory evaluation as nematocide, 429
lab. technique for evaluation as nematocides, 428
malathion, laboratory evaluation as nematocide, 429
parathion, laboratory method for evaluation as nematocide, 429
schradan, laboratory method of evaluation as nematocide, 429
Shell 1836, laboratory evaluation as nematocide, 429
Insects, *Aceria tulipae*, wheat streak mosaic, 506
aphid, *Aphis gossypii*, 284
Aphis gossypii, aster ring spot virus assay, 89
gossypii, stone fruit virus transmission studies, 303
watermelon virus strain, vector, 200
medicaginis, 284
aster ring spot virus assay, 89
Macrosiphum ornatus, pea-enation mosaic virus vectors, 283
pisi, pea-enation mosaic virus, 283
pea streak virus transmission, 569
solanifolii, pea-enation mosaic virus, 283
potato leafroll virus, 167

Insects—*continued*
Myzus circumflexus, Cymbidium orchid, 494
ornatus, Cymbidium orchid, 494
potato leafroll virus, 167
persicae, 372
aster ring spot virus assay, 89
Cymbidium orchid, 494
lettuce mosaic virus, 507
pea-enation mosaic virus, 283
sweet potato feathery mottle virus, 290
tomato yellow-net virus vector, 219
watermelon mosaic virus vector, 198
solani, Cymbidium orchid, 494
potato leafroll virus, 167
potato leafroll, feeding related to resistance, 496
transmission, 167
Bemisia inconspicua, cotton leaf crumple vector, 480
chalcid, clover wound-tumor virus, 548
Dendroctonus engelmannii, wood-staining fungi associated with in spruce, 485
Hessian fly, wheat basal and crown rots, related to, 224
leafhopper, *Agallia constricta* virus vectors, 482
beet curly top virus vectors, 123, 125
Colladonus geminatus, cherry buckskin virus vector, 494
western-X-disease, 218
Draeculacephala minerva, alfalfa dwarf virus, 493
Euscelis plebejus spp. *plebejus*, cherry Eckelrade disease vector, 111
Pierce's disease, natural infectivity, 7
potato late-breaking virus vector, 503
virus vectors, serological reaction, 482
mealybug, pineapple resistance to wilt, 662
mites, wheat streak mosaic, 506
potato spindle tuber related to, 111
Pseudococcus brevipes, pineapple resistance to wilt, 662
Tetrastichus sp., clover wound-tumor virus, effect, 548
Trialeurodes abutilonea, cotton leaf crumple vector, 480
International cooperation for disease control, 421
Ipomaea purpurea, see Morning-glory
Iris, bulbous, crown rot control, soil treatments, 489
crown rot control, 711
Irrigation, sprinkler, bacterial disease of beans, effect, 553
ISHI, M., (499)
(Iso)leucine in peach and cherry leaves, 487, 643

JACOBSON, H. G. M., (19)
Jacquemontia tamnifolia, Rhizoctonia aerial blight, 217
JEFFERS, W. F., 144
JENKINS, MERLE T., 396
JENKINS, W. R., 389
JENSON, D. D., 493, 494
JOHNSON, E. M., 312
Johnson, James, biographical sketch, 335
JOHNSON, LEANDER F., 69
JOHNSON, M. McD., (479)
JOHNSTON, C. O., 494
JONES, LAURENCE S., (218)
JONES, WALTER, 494

KAHN, ROBERT P., 389, 494
Kalanchoë daigremontiana, foliage relation to adventitious roots, 107
galls from *Agrobacterium tumefaciens*, **illus.**, 108
KAMASAKI, H., (499)
KEITT, G. W., (180), (303), 335, 337, 362, (438), (482), (496), (704)
KELLER, JOHN R., 389
KELMAN, A., (497), 693
Kenaf, *Colletotrichum hibisci* parasitism related to pH in host tissue, 465
KENDRICK, E. L., 494
KENDRICK, J. B., JR., 145, 494
KENT, G. C., (110)
KERNKAMP, M. F., (489)
Khapli emmer, *Puccinia graminis tritici* biotypes virulent on, 492
KIENHOLZ, JESSE R., (487)
KILPATRICK, R. A., 252, 292
KIMBLE, KENNETH, (490)
KING, THOMAS H., 495
KINGSOLVER, CHARLES HUSTON, 495, (495), (707)
KIRBY, R. S., 495
KIRKPATRICK, HUGH C., 525, 529
KLINE, D. M., (482)
KNORR, L. C., (485)
KOCH, E. J., (388)
KOEHLER, BENJAMIN, 575
Kojic acid, peanuts blue damage, 300, **illus.** 302
KOMMEDAHL, THOR, 57, 495, (502)
KOO, F. K. S., (504)
KUNTZ, J. E., (148), (502), (507)

Lactic acid, bacteria and fungi control in soil, 505
Lactuca phyllody, 503
sativa, see lettuce
Lagenaria siceria, muskmelon mosaic virus type strain on, 371
LAIRD, EDWARD F., JR., (297), (479), (546)
LAMBERT, J. W., (511)
Lamb's quarters, *Verticillium albo-atrum* in, 241
LAMEY, H. A., (482)
LANGE, C. T., 495
LARANCE, ROBERT S., 495
LARSON, R. H., (290)
Lathyrus odoratus, see Sweet pea
LATTERELL, R. L., (86)
LATTERELL, FRANCES M., 495
LAUFFER, MAX A., (484)
LAW, N. O., (486)
LEACH, J. G., 496
Leafhopper, see under Insects
LEAR, BERT, 496
LEBEN, CURT, 101, 329, (380), (438), (481), 496, 704
LEE, C. L., (482)
Lemon, Eureka, growth-retarding factor transmission from old to young-line trees, 483
virus-like blight, poor vigor old-line trees, 483
Leptodiscus terrestris, birdsfoot trefoil root rot, **illus.**, 454
pathogenicity tests, 451
red clover and soybean, infested roots, **illus.**, 452
Leptographium sp. associated with Engelmann bark beetle, 485
LEROUX, P. M., 496
Lespedeza, damping-off and root rot, 451
Rhizoctonia aerial blight, 507
root-knot nematode, reaction to, 333
Lethum australinse, tomato resistance to infection by, 412
Lettuce, bacteria rot incitants, 592
big vein, chemotherapy, seedlings, 503
leaf spot, *Stemphylium botryosum* f. **lactucum**, forma nov., 175
mosaic virus, aphid transmission, 507
pathological anatomy of floral heads, 485
rod-shaped particles in tissues, 715, **illus.**, 716
seed transmission, factors affecting, 485
Stemphylium leaf spot, **illus.**, 177
Xanthomonas vitians, X. *lactucae-scariolae* on, **illus.**, 594
LEWIS, W. D., (215)
Light, Actinomycete inhibition of TMV, effect of, 328
LIGHTLE, PAUL C., 557
Lilium longiflorum, corn virus in, 498
speciosum corn virus on, 497
Lily necrotic fleck complex, histological and cytological studies, 502
LILLY, VIRGIL GREENE, (496)
LINDBERG, G. D., (333), (503)
LINDGREN, DAVID L., (605)
LINDNER, R. C., (525), (529)

LINFORD, M. B., 496
LO, CHIEN-PEN, (486), (680)
LOCKE, S. B., 496
LOCKWOOD, J. L., 438
LOGSDON, CHARLES E., 496
LOMBARD, FRANCES, (606)
LOWNSBERY, B. F., 497
LUCAS, G. B., 332, (333), 497
LUCK, JOHN V., (490)
LUDWIG, R. A., 497, (508)
Luffa spp., muskmelon mosaic virus strains on, 371
LUKE, H. H., (334), 377
Lychnis chalcedonica, Fusarium wilt, susceptible to, 276
Lycopersicon chilense, tomato breeding for disease resistance, 412
esculentum, see Tomato
glandulosum, tomato breeding for disease resistance, 409
hirsutum, tomato breeding for disease resistance, 409
peruvianum, tomato breeding for disease resistance, 409
pimpinellifolium, potato leafroll virus, symptomless carrier, 167
tomato breeding for disease resistance, 409
yellow-net virus, 219
spp., *Septoria lycopersici*, reaction to isolates of, 374
wild species, tomato breeding for disease control, 409
LYON, H. H., (487)

MACARTHY, H. R., 167
Macrophomina phaseoli, antagonism with soil oragnisms, 522
Macrosiphum spp. see under Insects, aphids
Magnesium ions, Anthracnose organism in kenaf tissue related to pH, 465
sulfate, celery adaxial crack stem, 145
MAI, WILLIAM F., (112), (496), 497
MAITLEN, GENE, 497
Maleic hydrazide and DDT effect on rust infected wheat seedlings, 483
Mallow, *Verticillium albo-atrum* in, 241
Maneb, see under Fungicides
Manganese dioxide, celery adaxial crack stem, 145
Manganous ethylenebisdithiocarbamates, see Fungicides, maneb, coined name, 699
Manuscript preparation for Phytopathology, 667
Manzate, see Fungicides, maneb
Maple, sugar, decay, *Valsa leucostomoides*, *Cytospora*, 12
sugar, x-sec., rot at old tap holes, **illus.**, 12
Verticillium albo-atrum in, 241
MARAMOROSCH, KARL, 111
Marigold crown gall tissue, effect of organic acids on growth, 422
lettuce mosaic virus, rod-shaped particles in tissues, 715
Marmor astrictum, *M. citrulli* compared, 201
citrulli sp. nov., watermelon mosaic virus, 201
flavidanum var. nov., yellow watermellon mosaic virus, 201
cucumeris commelinae, 87
judicis, 87
melonis, immunological studies, 372
M. citrulli compared, 201
strains, 373
var. **obscurum**, var. nov., 373
tabaci, tomato resistance, 412
MARTIN, W. J., 383, (493), (495)
MARVEL, M. E., (489)
MATKIN, O. A., (39)
Matthiola incana, see Stock, column
MCALISTER, DEAN F., (4)
MCCALLAN, S. E. A., 497
MCCLURE, T. T., (390)
MCKEEN, W. E., 651
MCWHORTER, F. P., 497, (498)
Mealybug, pineapple resistance to wilt, 662
Medicago arabica, see Medick, spotted
falcata, dwarf virus, breeding for resistance, 493
glutinosa, dwarf virus, breeding for resistance, 493
Medicago—*continued*
lupulina, 57
Phytophthora cryptogea in, 700
sp., Phytophthora root rot, 487
Medick, spotted, pea-enation mosaic virus, aphid vectors, 283
MEINERS, JACK P. 498
Melampsora lini longevity related to temperature and other factors, 469
uredospore germination after storage, varying conditions, 470
Melilotus alba, serological reaction, 482
officinalis, growth regulators and wound-tumor virus effect on cells, 482
Sporotrichum sp. effect on, 478
MELLENTHIN, W. M., (601)
Meloidogyne spp., see under Nematodes, also Nematodes, root-knot
Melothria pendula, muskmelon mosaic virus strains on, 371
Mentha piperita, see Peppermint
MENZIES, J. D., 553
Mercuric chloride, see also under Fungicides
effectiveness in preventing contamination, 25
MEREK, EDWARD L., 61, 328
MERRIAM, DONALD, 111, (608)
Merulius lacrymans growth tests, forest and root-cellar conditions, 388
MERWARTH, F. L., (112)
Method, see Technique
Methyl-bis (β-chloroethyl) amine, mutants induced *Venturia inaequalis*, 362
Methyl bromide, see under Soil fumigants
Methyl-mercury-dicyandiamide, see Fungicides, Panogen
Micrococcus sp. in bean, 588
MIDDLETON, JOHN T., (145), (494)
MILBRATH, J. A., (492), 498
Milkweed, carnation mosaic virus, effect of temperature, 110
MILLER, LAWRENCE P., (497)
MILLIKAN, D. F., 498
MILLSAP, H. H., (497)
Mint rust control, 484
factors affecting disease cycle, 493
MITCHELL, J. E., (86), (495), (498)
MITCHELL, JOHN W., 25
Mites, wheat streak mosaic, 506
Miticidal action, barium and manzate, 387
MOHAMED, HOSNI A., 498
Moisture content of oak tissues related to wilt pathogen sporulation, 488
Mollago verticillata, Rhizoctonia aerial blight, 217
Momordica charantia, muskmelon virus type strain on, 371
watermelon mosaic virus strains on, 198
Monilia, antibiosis *Pythium arrhenomanes*, 71
fructicola, potassium dialkyldithiocarbamates, fungicidal action, 499
Monilinia fructicola, chlorinated hydrocarbons, fungicidal value, 501
control of infection in peach, 390
fungicides effect on germination and oxygen uptake, 497
Monilochaetes infuscans, longevity in different soils, 332
MOORE, J. DUAIN, (180), (303), 499, (509)
MOORE, M. B., 499, (500), (686)
Morning-glory, sweet potato feathery mottle virus on, 390
MORRIS, H. E., (481), 499
MORRIS, WALTER T., (487)
MORTON, DONALD J., 499
Mucor, 293
plating technique, 502
MUNGER, G. D., 499
MUNNECKE, DONALD E., (499), 499, 605, 627
MUNTAÑOLA, MARIA, 233
MURAKISHI, H., 499
Muskmelon mosaic virus strains, 371
Mycosphaerella melonis in watermelon seed, **illus.**, 679
melonis, watermelon seed, invasion and treatment for control, 675

Mycosphaerella—*continued*
pinoides, pH effect on growth on agar, 103
Myrothecium sp., fungicide soil drenches, assay method, 499
verrucaria, fungicides effect on germination and oxygen uptake, 497
Myzus spp., see under Insects, aphid

Nabam, see under Fungicides
α-Naphthaleneacetic acid, see under Chemotherapeutants, 111
Narcissus bacterial streak, 489
Natriphene, carnation Fusarium wilt, 110
NATTI, JOHN J., 111
NEAL, D. C., 447
NELSON, PAUL E., 510
NELSON, RICHARD R., 500
Nematocides, aliphatic acid, tests, 112
catechol, *Meloidogyne incognita*, 508
3-P-chlorophenyl-5-methyl rhodanine, tomato, 431
tomato root-knot, 112
chloropicrin, tests, 112
demeton, laboratory evaluation of effectiveness, 429
2,4-dihydroxy benzaldehyde, *Meloidogyne incognita*, 508
dihydroxybenzene, 112
EPN, laboratory evaluation of effectiveness, 429
hydroquinone, *Meloidogyne incognita*, 508
hydroxybenzenes, *Meloidogyne incognita*, 507
laboratory technique for evaluation, 428
malathion, laboratory evaluation of effectiveness, 429
parathion, laboratory evaluation of effectiveness, 429
Philips Nematocidal Mixture PN, tests, 112
resorcinol, *Meloidogyne incognita*, 508
schradan, laboratory evaluation of effectiveness, 429
Shell 1836, laboratory evaluation of effectiveness, 429
Triton X-100, X-188, X-45, tests, 112
Nematodes, *Aphelenchoides besseyi*, tests of nematocides on, 428
Aphelenchoides sp., 543
Aphelenchus sp., 543
Belonolaimus gracilis, Fusarium wilt, cotton, greenhouse tests, 683
Ditylenchus dipsaci, tests of nematocides on, 428
mycophagus, nematocide tests, 112
sp., 543
Helicotylenchus mannus, 447
sp., 543
sp. on boxwood, 389
sp. occurrence and control on strawberry, 493
Heterodera rostochiensis viable population in potato field soil, 497
schachtii var. *trifolii* pathogenicity in sterile and non-sterile soil, 496
Hoplolaimus sp., 543
methyl bromide concentration and effect, nursery soil, 605
Meloidogyne arenaria, lespedeza, 333
hapla, lespedeza, 333
occurrence and control on strawberry, 493
incognita control with 3-P-chlorophenyl-5-methyl rhodanine, tomato, 431
lespedeza, 333
nematocide tests, 112, 507
tomato control, 112
var. *acrita*, cotton wilt complex, 447
effect on tobacco Granville-wilt resistance, 497
gall size *vs.* number of larvae, 43
infectivity on tomato and cucumber seedlings, 43
lespedeza, 333
lima bean resistance to, 1
soybean resistance, factors associated with, 388
technique, possible for genetic variants, 43
javanica, lespedeza, 333
sp., methyl bromide, 606
spp., tomato varieties resistant to, 413
Panagrellus redicicus, test organism foe nematocides, 112
Paratylenchus sp. pathogenicity in sterile and non-sterile soil, 496
Nematodes—*continued*
Pratylenchus sp. occurrence and control on strawberry, 493
alfalfa, 542
Pungentus pugens, nematocide tests, 112
root-knot, see also Nematodes, *Meloidogyne* spp.
nematocides, 507
tomato, control, 112
gall, **illus.**, 46
wilt resistance, cotton varieties, 333
Rotylenchulus reniformis, Fusarium wilt of cotton, complex, 447, **illus.** 449
Rotylenchus erythrinae, nematocide tests, 112
tobacco cyst control, 497
related to plant growth, 497
tomato stunt, *Tylenchorhynchus claytoni*, 332
Trichodorus sp. occurrence and control on strawberry, 493
Tylenchorhynchus claytoni on cotton, 332
occurrence and control on strawberry, 493
tomato stunt, 332
sp. host range, 331
sugar cane, 331
Tylenchulus semipenetrans on hybrid seedlings of *Poncirus trifoliata*, 456
Tylenchus sp., 543
Xiphinema americanum, nematocide tests, 112
diversicaudatum, root galls and "curly-top", rose, 389
sp., 543
Neurospora sitophila, actidione effect on, 144
fungicides, effect on germination and oxygen uptake, 497
metabolism pathways in conidia, 501
NICHOLS, CARL W., 92
Nicotiana glutinosa, aster ring spot virus assay, 87
leaf, ARSV symptoms on, **illus.**, 89
X *N. tabacum*, virus assay, 74
potassium nutrition effect on TMV in, 297
potato curly top virus strain on, 127
virus X, double infections, 504
TMV, formaldehyde reaction with, kinetic studies, 484
inhibition by water dip, 546
potassium nutrition, effect, 297
strains infectivity-dilution curves, differences, 505
yellow strain and complex, 486
turnip virus 1 strain in, 632
virus-like particles in healthy seedlings, 473
zinc sulfate effect on TMV in, 230
longiflora, *Pseudomonas tabaci*, multiplication in leaves, 186
sylvestris, TMV strains on, 277, 505
tabacum, see Tobacco
Nicotinic acid, *Venturia inaequalis*, deficient induced mutants, 482
NIEDERHAUSER, JOHN S., 406
NIELSON, L. W., 30, 332, 333
NIELSON, MERVIN W., 218
Nigrospora oryzae in corn seed, 578
Nitrites role in tomato wilt, 490
Nitrogen, see also under Nutrition, and Nutrition of Microorganisms
fertilizer effect on strawberry red-stele, 601
mustard, mutants induced, *Venturia inaequalis*, 362
Nocardia sp., tobacco mosaic virus, inhibition of, 328
NORTON, DON C., 300, 522
Nucleic acid, cherry ring spot virus, content of leaves, 498
Nutrition, acetic acid effect on growth and inhibition of gall and callus tissue, 422
calcium and hydrogen ion, potato scab, 19
celery, adaxial crack stem, 145
formic acid effect on growth of gall and callus tissue, 422
gall and callus tissue, effect of organic acids on growth, 422
nitrogen, tobacco, relation to TMV, 74
nitrogenous fertilizers, celery adaxial crack stem, 145
organic acids effect on gall and callus tissue growth, 422
phosphorus, tobacco, relation to TMV, 74

Nutrition—*continued*
potassium celery adaxial crack stem, 145
tobacco, relation to TMV, 74, 297
potato scab, 19
propionic acid effect on growth of gall and callus tissue, 422
sucrose, effect on organic acids effect on growth of gall and callus tissue, 422
tobacco, relation to TMV, 74
Nutrition of microorganisms, acetate, *Neurospora sitophila*, pathways of oxidation by conidia, 501
biotin, *Venturia inaequalis*, 482
Volutella colletotrichoides, 484
carbon, *Sclerotinia sclerotiorum*, 36
choline, *Venturia inaequalis*, 482
citric acid in conidia of *Neurospora sitophila*, 501
glucose, *Neurospora sitophila*, pathways of oxidation by conidia, 501
heavy metals, *Sclerotinia sclerotiorum*, 36
inositol, *Venturia inaequalis*, 482
lactate, *Neurospora sitophila*, effect on oxygen uptake, 501
magnesium, *Sclerotinia sclerotiorum*, 36
nicotinic acid, *Venturia inaequalis*, 482
nitrogen, *Sclerotinia sclerotiorum*, 36
pantothenic acid, *Venturia inaequalis*, 482
phosphorus, *Sclerotinia sclerotiorum*, 36
potassium, *Sclerotinia sclerotiorum*, 36
pyruvate, *Neurospora sitophila* effect on oxygen uptake, 501
riboflavin, *Venturia inaequalis*, 482
Sclerotinia sclerotiorum, 36, **illus.** 37
Ustilago zeae requirements of dicaryophase, 486
Venturia inaequalis, genetic and pathogenic studies, 482
NYLAND, GEORGE, 500

Oak, bur, wilt development in, 502
leaf-blister, effect of climate on severity, 332
pathogen, life cycle studies, 332
northern pin, wilt diseased and normal sections, photomicrographs, **illus.**, 151
Polyporus hispidus in, 508
wilt development in bur oak, 502
fungus, growth on Nutramigen, **illus.**, 63
longevity in diseased trees, 328
mat histology, 507
temperature and humidity effect on longevity, 61
toxin activity, 334
host moisture content related to sporulation of pathogen, 488
tyloses and gums, 148
in stems, **illuss.**, 149, 151
wood-decay fungi growth tests, 388
Oats blight control, 380
crown rust race, varieties reaction related to stage of growth, 221
race, varieties reaction related to temperature, 221
Erysiphe graminis hordei in, 658
Helminthosporium blight and crown rust races, combined resistance, 504
victoriae, *Chaetomium* spp., antagonism, 686
toxic agent effect on, 334
rust, crown and stem, resistance breakdown detached leaves, resistant varieties, 483
seedling blight control, 438, 704
control, seed treatment, 481
smut control, 704
genetics, 353
soil mycoflora and disease incidence, 57
stem rust resistance, from irradiated seeds, 483
Ustilago avenae races on, pathogenicity tests, 491
and *U. kolleri* races on varieties, 491
Obituaries, manuscript preparation, 667
OCHOA, C., 500
OGAWA, JOSEPH M., 500
OHMS, RICHARD E., 500
Okra, galls and "curly-top", dagger nematode, 389
Olefin, ozonated (smog), chemical protection of plants from, 494
OLIEN, CHARLES R., 500
Onion rust, 388
Ophiostomataceae associated with Engelmann bark beetle, 485
Orchids, *Cattleya*, proteins associated with, 314
Cattleya, virus detection, serological method, 314
Cymbidium, aphid toxins, effect, 493
virus, isolates comparative studies, 499
ORELLANA, RODRIGO G., 501
Organic acids effect on gall and callus tissue growth, 422
Orthocide, see Fungicides, captan
ORTON, C. R., 501
Oryzopsis hymenoides, wheat streak mosaic, 506
OSWALD, JOHN W., (115), (493)
OTTEN, R. J., (495)
OWEN, JOHN H., 501
OWENS, ROBERT G., 501
Oxalates, peanut blue damage, 300
Oxalic acid, peanuts blue damage, 300, **illus.** 302
Oxalis spp. as aecial hosts for *Puccinia sorghi*, 496
Oxytetracycline, seen under Antibiotics
OYER, EDWIN B., 501

PADHI, B., 175
PAHARIA, K. D., 502
Panagrellus redivivus, test organism for nematocides, 112
Panicum, *Phyllachora punctum* in, morphology and life history, 501
Panogen, see under Fungicides
Pansy, aster ring spot virus, 87
Pantothenic acid, *Venturia inaequalis*, deficient induced mutants, 482
PAPAVIZAS, G. C., (492)
Papaya black spot etiology and control, 499
Paratylenchus sp. pathogenicity in sterile and non-sterile soil, 496
Paris-daisy crown gall tissue, effect of organic acids on growth, 422
PARMETER, J. R., 502
PARRIS, G. K., (332)
Parsley Pythium root rot, 486
PARTYKA, ROBERT, E., 112
Parzate, see Fungicides, zineb
Pathogenicity of mutants of *Venturia inaequalis*, 366
PATTERSON, FRED L., (483)
PAULUS, A. O., 502
Pea, *Aphanomyces euteiches* pathogenicity of isolates on, 495
damping-off and root rot, 451
enation mosaic virus, aphid vectors, 283
host range, 283
Fusarium, spp., metabolites production of vascular browning, 156
red clover vein-mosaic virus, varieties screening for reaction, 491
source of virus inoculum, 491
streak virus, aphid transmission, 569
Peach bacterial canker control, 487
blossom blight, *Fusicoccum amygdali*, 109
brown rot, chlorinated hydrocarbons, fungicidal value, 501
Fusicoccum amygdali, infections by, compared, 109
canker control, 109, 111
Fusicoccum amygdali, 109, 111
seasonal occurrence, 109
cherry buckskin virus, Napa strain, leafhopper transmitted, 494
ring spot virus strain relationship on, 492
Diplodia fruit rot, 471, **illus.** 472
free amino-acids in healthy and diseased leaves, 486
fruit and leaf infections, *Fusicoccum amygdali*, 109
fruit rot control, 134
new, 134
Fusicoccum amygdali, infections by, 109

Peach—*continued*
leaf spot control, 111
Fusicoccum amygdali, 111
Monilinia decay control, 390
mosaic virus transmission from elm, 499
Rhizopus decay control, 390
spring canker, bactericidal applications, 502
sweet cherry rugose mosaic virus, variations in, 500
western X-diseased, amino acids in leaves, 643
leafhopper vector, 218
L-pipecolic acid isolated from leaves, 643
yellow bud mosaic virus, mechanical transmission, 511
Peanut blue damage, **illus.**, 302
galls and "curly-top", dagger nematode, 389
Spanish, blue damage from fungi, salts, 300
blue damage, pH effect, 300
Pear blight control, 481, 487, 511
fire blight, growth status of host, relation to resistance, 196
stability studies, 192
Pectin methylesterase produced by *Fusarium oxysporum* f. *lycopersici*, 509
PEET, C. E., (483)
Pelargonium, aster ring spot virus in, 90
Pellicularia filamentosa in coffee roots, 509
host range, 217
Rhizoctonia aerial blight of soybeans, 215
soybean, 215
Penicillium, 59, 293
antibiosis *Pythium arrhenomanes*, 70
corn seed, 577
digitatum, garlic clove rot incitant, 506
isolated from coffee, 509
italicum, actidione effect on, 144
plating technique, 502
sp. parasitic on *Rhizoctonia solani*, 482
thermal death point, 482
spp., watermelon seed, 675
wheat crown rot, associated with, 228
Pentachloronitrobenzene, see Fungicides, PCNB
Pentachlorophenoxyacetic acid, see Chemotherapeutants
Pentrachlorodiene, see Soil fumigants, Cpd 162
Peony, *Verticillium ablo-atrum* in, 241
Pepper, aster ring spot virus, 87
Cercospora unamunoi leaf disease incitant in the Americas, 233
copper naphthenate, root injury, 65
damping-off control in flats, 65
leaf symptoms from *Cercospora unamunoi*, **illus.**, 234
seedling root injury from copper naphthenate-treated flats, **illus.**, 67
TMV yellow strain and virus complex, 486
Peppermint rust, factors affecting disease cycle, 493
Verticillium albo-atrum, pathogenicity of isolates, 239
inoculated with, **illus.**, 240
wilt control, soil fumigation, 490
Periwinkle crown gall tissue, effect of organic acids on growth, 422
Peronospora parasitica in radish roots, 384, **illus.** 385
tabacina oospore germination, factors affecting, 332
PERSON, L. H., (332)
Pestalotia spp., camellia dieback and canker, associated with, 130
Pestalozzia isolated from coffee, 509
PETERS, B. G., (497)
PETERSON, L. C., (488)
PETERSON, MAURICE L., (493)
pH, see Hydrogen-ion concentration
Phaseolus lunatus var. *limenanus*, *Sporotrichum* sp. on, 478
spp. see Bean
Phenol, spore germination and oxygen uptake, effect, 497
mercury urea, see Fungicides, Agrox
Phenolic compounds, polyphenol oxidase, effects on, 501
Phenols, source and role of, in tomato Fusarium wilt symptoms, 485
Phenyl mercury acetate, Christmas rose black rot control and plant injury, 485
Phenyl-mercury-ammonium-acetate, see Fungicides, Setrete
Phenylalanine in peach, western X diseased leaves, 643
Phoma sp., alfalfa dark necrosis, associated with, 138
effect on red clover seedlings, **illus.**, 295, 296
spp., clover root and crown rots, associated with, 252
red clover root rot, pathogenicity, 293, 489
Phomopsis crustosa, *Phytophthora* sp. in holly, 483
gardeniae, control of infection by, 110
Phosphate effect in plant virus inoculations, 494
Phosphorus, see under Nutrition
Phygon, see Fungicides, Dichlone
Phyllachora punctum, morphology and life history, 501
Physalis floridana, potato leafroll virus, aphid transmission, 167
potato leafroll virus symptoms, **illus.**, 169
spp., potato leafroll virus, aphid transmission, 167
Physiologic specialization, hybridization in origin of, in smut fungi, 352
Phytopathology, manuscript preparation, 667
Phytophaga destructor, see Insects, Hessian fly
Phytophthora capsici symptoms on tomato, 551
cinnamomi, chemotherapy, 511
pH effect on, in avocado, 611, **illus.** 613
soil conditions related to pine infection, 511
crytpogea in alfalfa, morphology, 700, **illus.**, 701
host range, 487
drechsleri symptoms on tomato, 551
fragariae factors affecting incidence in strawberry, 601
hibernalis, *Phytophthora* sp. in holly compared, 483
infestans, 409
flagella of swarmspores, phase and electron microscopy, 487
histological studies, 110
necrosis in inoculated potato leaves, **illus.**, 85
nuclear behavior, 490
penetration steps in potato leaf sections, photomicrographs, **illus.**, 83
physiologic races, reaction of differential potato hosts, 502
potato, field screening of fungicides for control, 112
resistance and pathogen aggressiveness, 484
and tomato leaf penetration, histological studies, 81
wild and cultivated from Peru, testing for resistance to infection by, 500
races distribution, potato, tomato, 490
Mexico, 406
potato and tomato, interrelationship, 510
Solanum demissum, histological study, 488
sporangia, direct germination, 492
temperature effect on germination, 508
growth of isolates, 495
tomato breeding for resistance to infection by race 1, 489
symptoms, **illus.**, 274
zoospores penetration of potato leaves, camera lucida, **illus.**, 84
leaf fall, rubber, in Costa Rica, 597
palmivora isolates variation from cacao and rubber, **501**
rubber in Costa Rica, 597
leaf fall, **illus.**, 598
heveae, suggested name, 501
theobromae, suggested name, 501
parasitica symptoms on tomato, 551
tomato late-blight-like disease, incitant, 332
var. *nicotianae*, heterothallism, 312
mechanism of wilting of infected plants, 513
oospore, **illus.**, 313
soil treatment control of infections by, 333
phaseoli, carbohydrate content of host, effect, 325
temperature effect on, in lima bean, 325
pod rot and leaf fall, **illus.**, 600
root rot, apparatus, **illus.**, 612
avocado, chemotherapy, 511

Phytophthora—*continued*
seedlings, **illus.**, 614
sp., holly leaf and twig blight incitant, 483
tomato late-blight-like disease incitant, 332
Pierce's disease, see under Grape
PIERSON, C. F., 459
Pigweed, *Verticillium albo-atrum* in, 241
PILGRIM, A. J., 502
PINCKARD, J. A., (334)
Pine littleleaf disease, soil conditions related to, 511
lodgepole, *Arceuthobium americanum* invasion of, 552
X-sec., dwarf mistletoe infection, **illus.**, 552
longleaf, brown spot epidemiology, 385
needle disease control, 333
Dothistroma pini incitant, 333
Ponderosa, dwarf mistletoe, spread and intensity, 504
Elytroderma deformans symptoms in, **illus.**, 559, 565, 566
witch's broom and needle cast, 557
wood decay fungi, growth tests, 388
Pineapple, Cayenne, resistance to mealybug wilt, mutations, 662, **illus.** 665
Pinus banksiana, fungicide screening for non-toxic effect and disease control on, 509
sp., see Pine
Pipecolic acid in peach and cherry leaves, 487, 643
Piricularia oryzae physiologic races, 495
Pisum sativum, see Pea
PLAKIDAS, A. G., 14, (129)
Plant disease research, greenhouse facility, 495
Plant growth regulators, 2,4-dichlorophenoxyacetic acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
indoleacetic acid and wound-tumor virus, synergistic effect on plant cells, 482
γ-(indole-3)-n-butyric acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
maleic hydrazide and DDT, effect on rust infected wheat seedlings, 483
α-naphthaleneacetic acid, effect on kidney bean infected with *Colletotrichum lindemuthianum*, 111
wound-tumor virus, synergistic effect on plant cells, 482
Pleospora herbarum f. *lactucae*, **illus.**, 177
f. **lactucum**, forma nov., imperfect stage: *Stemphylium botryosum* f. **lactucum**, forma nov., 175
Plum bacterial canker control, 487
necrotic ring spot virus, host range, 110
rough bark virus, mechanical transmission, 511
PLUMMER, B. E., JR., (111)
Poa compressa, wheat streak mosaic, 506
Poinsettia, Thielaviopsis root rot isolates on, pH effect, 389
Polygalacturonase produced by *Fusarium oxysporum* f. *lycopersici*, 509
Polyphenol oxidase, effects of fungicides on, 501
Polyporus hispidus, oak damage, 508
PON, D. S., 707
Poncirus trifoliata, hybrid seedlings, resistance to citrus nematode, 456
Poplar breeding for disease resistance, 505
Poppy, California, curly top virus on, 128
Populus tremuloides, 13
Poria incrassata growth tests, forest and root-cellar conditions, 388
PORTER, CLARK A., 502
Potassium, see under Nutrition and Nutrition of Microorganisms
chloride, peanut blue damage, 302, **illus.** 302
dialkydithiocarbamates, fungicidal action, 499
phosphate buffer effect on disease incidence, tomato, 102
effect in plant virus inoculations, 494
Potato bacterial soft rot symptoms and injury from dropping, **illus.**, 33
bacterial soft rot, temperature effect on susceptibility, 30
varieties susceptible to, 30
curly top virus strain 12, 123
Potato—*continued*
studies, 125
golden nematode population in soil, 497
late blight, breeding for resistance, Mexico, 406
forcasting, 111
fungicides, field screening, 112
Mexico, 406
resistance and pathogen aggressiveness, 484
resistant varieties, 408
temperature and precipitation, 111
late-breaking virus associated with phyllody in Ladino clover, 503
leaf necrosis, *Phytophthora infestans* inoculated, **illus.**, 85
leafroll, aphid feeding related to resistance, 496
aphid transmission, several hosts, 167
symptoms in *Physalis floridana*, **illus.**, 169
varieties, symptom differences, 390
leaf sections, penetration by *Phytophthora infestans*, **illus.**, 83, 84
Phytophthora infestans leaf penetration, histological studies, 81, 110
physiologic races, reaction of differential hosts, 503
races in, distribution, 490
interrelationship with tomato, 510
ring rot, 481
temperature effect on development, 496
scab, hydrogen and calcium ion related to, 19
sclerotinia disease, 112
soil treatments effect on yield and flavor, 496
spindle tuber contamination by tractor, foliage, 111
insects related to, 111
tuber formation factor, graft transmission, 490
varieties reaction to curly top virus, 125
susceptible to bruising, 30
Verticillium ablo-atrum in, 241
virus free growth and development, photoperiod and temperature studies, 490
virus X concentrations in double infections, 504
rod-shaped particles from various infected and healthy plants, **illus.**, 475
viruses in the Americas, 415
yellow spot virus, 608, **illus.** 608
POUND, GLENN S., (74), (481), (502)
Powdery mildew on pinto bean, **illus.**, 64
POWELL, DWIGHT, 502
POWERS, HARRY R., JR., 513
Pratylenchus sp., see under Nematodes
PRESTON, WILLIAM H., JR., (25)
PRICE, W. C., 107, 667
PRISTOU, R., 81, 503
Proline in peach and cherry leaves, 487, 643
Prune, sweet cherry rugose mosaic virus complex, variations in, 500
Prunus cerasus, see Cherry, sour
persica, fruit rot, new, on, 136
spp., cherry virus in cucumber, transmission studies, 303
chokecherry X-disease virus, 180
necrotic ring spot virus, host range, 110
viruses distribution and spread, 488
tomentosa for detection of necrotic ring spot virus, 488
virginiana, see Chokecherry
Pseudococcus brevipes, pineapple resistance to wilt, 662
Pseudomonas caryophylli, carnation varietal response, 713
cichorii in cabbage, onion and potato, 592
in lettuce, 592
fluorescens in bean, 588
intybi, *P. marginalis*, synonym, 592
marginalis in cabbage, onion and potato, 592
in lettuce, 592
P. intybi, synonym, 592
phaseolicola, control of infection by, 499
solanacearum, actidione effect on, 144
metabolites production of vascular browning, 156
mutants, pathogenicity, 693
root-knot nematode effect on tobacco resistance to

Pseudomonas—*continued*
infection by, 497
tomato resistance, 412
sp. in bean, 588
syringae, effect of sprinkler irrigation on infection in beans, 553
in stone fruits, control, 487
tabaci, tobacco, multiplication in leaves, 186
viridiflava, *P. cichorii* compared, 592
Pseudotsuga menziesii, see Douglas fir
Puccinia asparagi on *Asparagus* and *Allium* spp., 388
carthami transmission, 609
coronata, oat varieties reaction to race of, related to stage of growth, 221
oat varieties reaction to race of, related to temperature, 221
avenae, resistance breakdown in leaves of resistant varieties to infection by, 483
oat resistance to infection by races, irradiated seeds, 483
tritici, ascorbic acid content of resistant and susceptible varieties, 502
biotypes on Khapli emmer, 492
control in wheat, 506
effect of temperature on, in wheat seedlings, 482
heterocaryosis as a mechanism of variation, 500
races and biotypes, 346
11 and 15B effect on yield, 491
59 isolates on wheat and barley varieties, 481
Mexico, 398
49 and 139, temperature requirements for differentiation, 498
resistance breakdown in leaves of resistant varieties to infection by, 483
rye varieties reaction to, 504
temperature effect on uredial infection, 495
wheat seedlings, maleic hydrazide and DDT effect, 483
selections resistant to, 267
varieties for differentiation of races, 346
Xanthomonas uredovorus parasitic on, 707, **illus.** 708
menthae, factors affecting disease cycle, 493
polysora pathogenicity, 496
purpurea pathogenicity, 496
rubigo-vera tritici physiologic races in Mexico, 494
wheat selections resistant to, 267
variety, "Knox" resistance to infection by, 483
Xanthomonas uredovorus parasitic on, 707
sorghi pathogenicity and corn resistance, 496
Pungentus pugens, nematocide tests, 112
Purines, analogs of, and related compounds, effect on TMV, 243
PURDY, LAURENCE H., JR., 36, 503
Pyrenochaeta sp. in strawberry roots, 510
Pyruvic acid accumulation in captan treated *Fusarium roseum* conidia, 492
Pythium aphanidermatum symptoms and control in ryegrass, 509
arrhenomanes antibiosis soil microflora, 69, 377
control, 69
infection classes on corn roots, **illus.**, 70
pathogenicity on alfalfa and clover seedlings, 572
debaryanum, 482
corn seed, 576
effect on forage legume seedlings, 491
red clover seedlings other fungi compared, **illuss.**, 295, 296
parsley root rot incitant, 486
pathogenicity on alfalfa and clover seedlings, 572
red clover root rot, pathogencity, 293
fungicides for control, screening, 509
irregulare effect on forage legume seedlings, 491
pathogenicity on alfalfa and clover seedlings, 572
megalacanthum, 486
paroecandrum effect on forage legume seedlings, 491
pathogenicity on alfalfa and clover seedlings, 572
Phythium—*continued*
plating technique, 502
root rot of corn reduction by actinomycete isolate, **illus.**, 71
rostratum, 572
sp., methyl bromide, 606
Thielaviopsis root rot, relationship, 389
splendens effect on forage legume seedlings, 491
pathogenicity on alfalfa and clover seedlings, 572
spp., alfalfa dark necrosis, associated with, 138
clover root and crown rots, associated with, 252
control of infection by, copper naphthenate, 65
lylophilization for preservation, 213
pathogenicity on red clover roots and crowns, 489
ultimum effect on forage legume seedlings, 491
pathogenicity on alfalfa and clover seedlings, 572

Quanine, 2-heptadecyl-2-imidazoline reversal, 333
Quercus ellipsoidales, wilt, tyloses and gums, 148
spp., see oak
QUINN, D. O., (508)
Quinones, polyphenol oxidase effects on, 501

Radiation, ionizing, alteration of disease resistance, 509
solar, effct on potato resistance to bacterial soft rot, 30
Radish downy mildew, 384
Fusarium, metabolites effect on susceptible and resistant varieties, 159
treated with Fusarium filtrates, resistant and susceptible plants, **illus.**, 163
turnip virus 1 strains in, 632
Rainfall, apple scab and sooty blotch, related to occurrence, 495
effect on Sudan grass leaf blight, 188
potato late blight, forcasting, 111
RAMSEY, G. B., 384
Ramularia type fungus in strawberry roots, 510
RANKIN, HARVEY W., 675
Rape, turnip virus 1 strains in, 632
RAPPAPORT, IRVING, 503
Raspberry, *Verticillium ablo-atrum* in, 241
RAWLINS, T. E., (328)
RAYMER, W. B., 503
REIGELMAN, G. L., (505)
Resistance, see Disease
Resorcinol, nematocidal value, 508
Rheum rhaponticum, see Rhubarb
Rhizoctonia aerial blight on lespedeza, 507
blight, microsclerotia, **illus.**, 216
symptoms on *Dolichos* sp., soybean **illus.**, 216
microsclerotia, see syn., *Pellicularia filamentosa*
solani, alfalfa stem canker and crown bud necrosis, **illus.**, 142
alfalfa stem and crown canker, 137
control of infection by, copper naphthenate, 65
fungicides for control, screening, 509
methyl bromide, 606
mycelium in alfalfa vessels, **illus.**, 142
Penicillium sp., parasitized by, 482
strains in bean, 588
culture, **illus.**, 590
tobacco wilting studies, 514
toxicity of chemicals and antagonistic fungi, 493
wheat crown rot, associated with, 228
sp., effect on red clover seedlings, 295, 296
Thielaviopsis root rot relationship, 389
spp., clover root and crown rots, associated with, 252
pathogenicity on red clover roots and crowns, 489
red clover root rot, pathogenicity, 293
Rhizopus, 57
nigricans, actidione effect on, 144
control of infection in peach, 390
fungicides effect on germination and oxygen uptake, 497
peanut blue damage, 301

Rhizopus—*continued*
spore germination, agar plate method, 113
plating technique, 502
spp., watermelon seed, 675
Rhubarb, ring-spot-like virosis, 118
ring spot virus symptoms, **illus.**, 119
Riboflavin, *Venturia inaequalis*, deficient induced mutants, 482
Rice, *Piricularia oryzae* physiologic races pathogenicity on varieties, 495
Rice, Robert V., 503
Rice, *Tylenchorhynchus* sp. on, 331
Rich, A. E., 112
Rich, Saul, 203, 387, 503
Riker, A. J., (148), (422), (492), (505)
Roberts, A. N., (601)
Roberts, B. J., 504
Robinson, B. P., (509)
Robison, R. S., 646
Rochow, W. F., 504
Rohde, R. A., (508)
Roistacher, Chester N., 65
Root-knot, see under Nematode
Roots, adventitious, foliage and galls related to, 107
Rose bengal, bacteria and fungi control, 505
Rose black rot races, pathogenicity, 389
root galls and "curly-top," dagger nematode, 389
stored, *Botrytis* sp. on, control, 503
Rosellinia bunodes in coffee, 509
spp., coffee Fusarium, associated with, 509
Rosen, H. R., 504
Rosenthal, Stanley A., 603
Ross, A. Frank, (504)
Roth, Lewis F., 504
Rotylenchulus reniformis, cotton Fusarium wilt complex, 447, **illus.**, 449
Rotylenchus erythrinae, nematocide tests, 112
Rowell, J. B., 356, (486), 504
Rubber, Phytophthora leaf fall, in Costa Rica, 597
Phytophthora leaf fall, **illus.**, 598
palmivora isolates variation from those from cacao, 501
pod rot and leaf fall, **illus.**, 600
Rust, bean acquired immunity, 511
bean, pulvini resistance, 64
flax, genetics of host-parasite interaction, 488
longevity related to temperature and other factors, 469
oats, crown and Helminthosporium blight, combined resistance, 504
crown race, varieties reaction related to stage of growth, 221
varieties reaction related to temperature, 221
peppermint, factors affecting disease cycle, 493
pinto bean, **illus.**, 64
wheat, leaf, physiologic races in Mexico, 494
stem, ascorbic acid content of resistant and susceptible varieties, 502
control, 506
progress, Canada, 404
epidemiological classification, Mexico, 399
races and biotypes, 346
resistance of selections to, 266
variability program, Mexico, North America, 398
varieties for differentiation of races, 346
Rye, *Erysiphe graminis hordei* in, 658
varieties reaction to *Puccinia graminis tritici*, 504
Ryegrass cottony blight, symptoms and control, 509
Ryker, T. C., 504

Saccharomyces pastorianus, actidione effect on, 144
Sackston, W. E., 106
Safflower rust transmission, 609
Salicylic acid, ryegrass cottony blight, 509
Salinity injury, column stock leaf tip burn, **illus.**, 39
Sasser, J. N., (497)
Schachtner, Norbert D., (389), (494)
Schafer, John F., (483)
Schechtman, A. M., (314)
Scheffer, R. P., 94
Schindler, A. F., 389
Schlegel, David E., 328
Schmitt, C. G., (707)
Schmittehenner, A. F., 505
Schnathorst, William C., 478, 588
Schneider, I. R., 243
Schroeder, Harry W., 505
Schuldt, Paul H., 505
Schultz, E. S., (390)
Scirrhia acicola sporulation on longleaf pine, 385
Sclerophthora disease of sugarcane, production and germination of sporangia, 487
sp., new, orchard grass downy mildew incitant, 494
Sclerotinia disease of potato, 112
fructicola, *Diplodina persicae*, new, compared, 134
2-heptadecyl-2-imidazoline, tests for reversal with purines and histidine, 333
and *S. laxa*, differentiating atypical isolates, method, 500
laxa and *S. fructicola*, differentiating atypical isolates, method, 500
sclerotiorum, 482
camellia flower blight incitant, 717
control, 493
cultures showing effect of nutrition deficiencies, **illus.**, 37
methyl bromide, 606
nutrition, 36
Sclerotium bataticola, watermelon rotting association with, 675
bataticola, watermelon seed, 675
delphinii, methyl bromide, 606
rolfsii control, 334
iris crown rot control, 711
peanuts blue damage, 300
soil microflora, antagonism, 499
treatment for control of crown rot of iris, 489
watermelon rotting associated with, 675
seed, 675
Scott, C. Emlen, (481)
Scott, W. W., (12)
Seed treatment, corn, 575
mercurial, effect on fungi on wheat seed, 500
oat blight, vapor action tests of mercury materials, 380
small grain diseases control, 481
Selenophoma bromigena, brome grass clonal lines response to, 655
Septoria linicola germinating spores, slide preparation method, **illus.**, 107
lycopersici isolates on 5 tomato species, 374
symptoms on tomato, **illus.**, 375
tomato resistance, 411
Serine in peach and cherry leaves, 487, 643
Serological studies, *Corynebacterium* spp., 603
technique for assay of leafhopper-borne viruses, 482
test for virus in orchids, 314
Servin, Leopoldo, (406)
Setrete, see under Fungicides
Shallots, pink root, antagonistic Actinomycetes, 488
Shands, R. G., (266)
Sharp, E. L., (213)
Shay, J. R., 505
Shea, K. R., 505
Siegel, Albert, 277, (503), 505
Silberschmidt, K., 415
Sill, Webster H., Jr., (487)
Silver, spore germination and oxygen uptake, 497
Silverman, William B., 506
Simons, John N., 283
Simons, M. D., 221
Sinclair, J. B., 506
Sisler, High D., (492), 506

SITTERLY, WAYNE R., (505)
SKILES, ROBERT L., (484)
SKOTLAND, C. B., 569
SLYKHUIS, JOHN T., 506
SMALLEY, EUGENE B., 506
SMITH, A. L., 333
SMITH, D. H., (492)
SMITH, M. A., (384), (471)
SMITH, W. L., JR., 389, 390
Smog, chemical protection of plants from, 494
SMOOT, JOHN J., (508)
Smut, barley loose, control, 508
  barley loose, control, soaking treatment, 329
  genetic phenomena related to dynamics of species, 352
  wheat loose, resistance of selections to, 266
Snowberry, *Verticillium albo-atrum* in, 241
SNYDER, WILLIAM C., (175), 338
Sodium arsenite, oak wilt tests, 328
  2-benzothiazyl thioglycolate, see Chemotherapeutants
  chloride, peanut blue damage, 302, **illus.**, 302
  dimethyl dithiocarbamate, effect on chlorophyll, apple foliage, 111
  salts, cabbage, packaged slaw, dips, 389
  thiosulfate effect on fungi in wheat seed, mercurial treated, 500
Soil carry-over, *Xanthomonas malvacearum*, 331
  condition effect on corn seedlings, 581
    pine littleleaf disease related to, 511
Soil fumigants, calcium cyanamide, tobacco black shank, 333
  CBP-55 (chlorobromopropene), peppermint wilt, 490
    tomato southern blight, 334
  3-P-chlorophenyl-5-methyl rhodanine, tomato root-knot control, 431
  Cpd 162 (pentrachlorodiene), peppermint wilt, 490
  DD effect on yield and flavor carrot and potato, 496
    tobacco cyst nematode, 497
  dichlorobutenes effect on yield carrot and potato, 496
  Dow 9B effect on yield carrots and potatoes, 496
  Dowfume N effect on yield and flavor carrot and potato, 496
  ethylene dibromide, nematodes on strawberry, 493
  methyl bromide effect on fungi and nematodes in nursery soil, 605
    ryegrass cottony blight, 509
    tobacco black shank, 333
  nitrate nitrogen, tobacco cyst nematode, 497
Soil fungi, bacterial inhibitors effect, soil dilution plate method, 505
Soil microflora, antibiosis of Actinomycetes to *Pythium arrhenomanes*, 69
  antibiosis of bacteria and fungi to *Pythium arrhenomanes*, 69
  antibiotic action, seasonal effect, 378
  effect of non-antagonistic, on *Pythium arrhenomanes*, 72
  plating technique, 502
  Pythium arrhenomanes, antagonism to, 377
  Sclerotium rolfsii, antagonism to, 499
Soil mycoflora, relation to disease incidence, cereals, 57
Soil pH and calcium ion concentration, potato scab, 19
Soil temperature effect on potato ring rot development, 496
  and moisture, nitrogen, effect on strawberry red-stele incidence, 601
Soil treatments, aspen seed damping-off control, 505
  carnation Fusarium wilt, 110
  effect on yield and flavor of potato and carrots, 496
  iris crown rot, 489
  nitrogenous fertilizer, celery adaxial crack stem, 145
  potassium fertilizer, celery adaxial crack stem, 145
  tobacco black shank control, 333
Soil type effect on *Fusarium solani* f. *phaseoli* pathogenicity, 483
  pathogenicity of *Monilochaetes infuscans*, 332
Solanum andigenum, 418
  bulbocastanum, potato late blight breeding for resistance, Mexico, 407
Solanum—*continued*
  cardiophyllum, potato late blight breeding for resistance, Mexico, 407
  chiquidenum resistance to infection by *Phytophthora infestans*, 500
  demissum, *Phytophthora infestans* in, histological studies, 488
    potato breeding for late blight resistance, Mexico, 406
  gracile, aster ring spot virus, 87
  iopetalum, potato late blight breeding for resistance, Mexico, 408
  piurae resistance to infection by *Phytophthora infestans*, 500
  tuberosum, virus-like particles in, 473
SOMMER, NOEL F., 506
Sorghum smuts, genetics, 352
Sorosporium spp., genetic, 353
Soya max, see Soy bean
Soybean, brown stem rot, temperature and plant age, 4
  brown stem rot, water movement in stem, 5
  bud blight, seed transmission, 86
  damping-off and root rot, 451
  Diaporthe phaseolorum var. *batatatis* asexual spore stage role in infection of, 489
    stem canker, 319, **illus.**, 320
  galls and "curly-top," dagger nematode, 389
  pea-enation mosaic virus, aphid vectors, 283
  pod and stem blight, Diaporthe stem canker compared, 319
    symptoms, **illus.**, 321
  Rhizoctonia aerial blight, host range, 217
    Pellicularia filamentosa, 215
    blight on, **illus.**, 216
  root-knot resistance, factors associated with, 388
  roots infested with *Leptodiscus terrestris*, **illus.**, 452
  tobacco ring spot virus, seed transmission, 86, **illus.**, 86
  Tylenchorhynchus sp. on, 331
  varieties susceptible to Rhizoctonia aerial blight, 217
Spathoglottis sp., diamond leaf spot, comparative studies, 500
Species concept, *Hypomyces solani*, 338
Spectrophotometric assay, viruses, quick method, 525
Sphacelotheca spp., genetics, 352
Spergon, see Fungicides, chloranil
Spicaria, antibiosis *Pythium arrhenomanes*, 70
Spinach, rhubarb ring-spot-like virosis on, 118
  rhubarb ring spot virus, **illus.**, 120
Spore germination, agar plate method, fungicide assay, 113
Sporotrichum sp. in bean, 588
  effect on cowpea and other leguminous hosts, 478
    Vigna sinensis, **illus.**, 478
SPRAGUE, G. F., (496)
SPROSTON, THOMAS, JR., 12
Spruce, brick red stain in, 606
  wood-staining fungi associated with Engelmann bark beetle, 485
Squash mosaic virus, physical biochemical characteristics, 503
  watermelon mosaic virus in, **illus.**, 199
STAFFELDT, E. E., 213
Stagonospora meliloti, alfalfa crown and root rot, incitant, 137
  alfalfa, symptoms on, **illus.**, 139
  temperature effect on growth, 141
STAHMANN, MARK A., (503)
STAKMAN, E. C., 346, 421
STANFORD, ERNEST H., (493)
STARKEY, R. L., (646)
STEIB, R. J., (487), 507
Stemphylium botryosum f. *lactucae* conidia and conidiophores, **illus.**, 177
  botryosum f. **lactucum**, forma nov., 175
  ilicis, lettuce leaf spot, associated with, 176

Stemphylium—*continued*
leaf spot in lettuce, **illus.**, 177
sarcinaeforme, fungicides effect on germination and oxygen uptake, 497
pH effect on growth on agar, 103
solani, air temperature effect on incidence and development, 502
tomato, histological studies, 332
host-parasite relations, 332
resistance, 411
sp. in bean, 588
STEWART, ROBERT B., 333
Stock, Botrytis complex, **illus.**, 41
column, *Botrytis cinerea* control, 42
Botrytis cinerea, disease complex, 39
leaf tip burn from salt accumulation, **illus.**, 39
turnip virus 1 strains in, 632
STODDARD, E. M., 507
Stone fruit bacterial canker control, 487
virus, chemotherapy studies, 529
cucurbit hosts, pH and dilution of infectivity, effect, 533
thermal inactivation of isolates, 538
distribution and spread, 488
Storage, grapes, forcasting decay, 492
STOVER, R. H., 689
Strawberry, chlorinated hydrocarbons, fungicidal value, 501
nematode occurrence and control, 493
red-stele, Douglas fir sawdust and nitrogen effect on incidence, 601
soil temperature and moisture effect on incidence, 601
root, fungus parasites, 510
type 2 virus inactivation studies, 489
Verticillium wilt resistance, 510
Strawflower, carnation mosaic virus, effect of temperature, 110
Streptomyces, antibiosis *Pythium arrhenomanes*, 70
scabies, effect of metabolites of Actinomycetes on sporulation, 111
potato scab, hydrogen and calcium ion relation, 19
sp., antimycin A-102 from, production and properties, 438
Streptomycin, see under Antibiotics
STROUBE, WILLIAM H., 507
STRUCKMEYER, B. ESTHER, 148, 507
SUNESON, COIT A., (115)
Sugar utilization by *Endoconidiophora* sp., 510
Sugarcane, ratoon stunting, 507
root rot, soil microflora, antibiotic action, 377
Sclerophthora disease, production and germination of sporangia, 487
temperature effect on germination and yield, 507
Sulfanilamide effect on metabolism of *Fusarium roseum*, 506
Sulfur, see under Fungicides
Sulfur dioxide fumigation, forcasting grape decay in storage, 492
Sunburn, walnut branch wilt, relationship, 506
Sunflower crown gall tissue, effect of organic acids on growth, 422
Swede, turnip virus 1 strains in, 632
Sweet pea, pea-enation mosaic virus, aphid vectors, 283
Sweet potato, black rot on, **illus.**, 383
black rot, varieties reaction to, 383
Diaporthe sp. on, 322
feathery mottle virus, aphid and mechanical transmission, 290
cross-protection test, 290
symptoms, **illus.**, 291
Fusarium wilt biological control, 482
internal cork, anthocyanin pigment related to temperature, 334
foliage symptoms, 334
spread, 333
scurf, longevity of pathogen in different soils, 332
Sweet potato—*continued*
sprout rot biological control, 482
Tylenchorhynchus sp. on, 331
Sweet william, carnation mosaic virus, effect of temperature, 110
Fusarium wilt, 275
rhubarb ring spot-like virosis on, 118
rhubarb ring spot virus in, **illus.**, 121
SYLVESTER, EDWARD S., 219, 507
SZKOLNIK, MICHAEL, (111)

Taphrina coerulescens life cycle studies, 332
TARJAN, A. C., 112, 431, 507
TAYLOR, CARLTON F., 390, 508
Techniques, barley false stripe, electron microscopy of rod-shaped particles, 115
barley and wheat smut rapid inoculation, air blast, 499
clover virus, source and method of applying inoculum, 491
cotton varieties screening for resistance to nematode-wilt complex, 447
culturing banana roots for fungus determination, 689
dew deposit recording device, 390
dew and temperature incubation chamber, 498
electron and phase microscopy, *Phytophthora infestans*, flagella of swarmspores, 487
forcasting decay of grapes in storage, 492
fungi slide mounts in agar, quick method, 106, **illus.**, 107
testing pathogenicity on red clover, 292
fungicide drenches in soil, biological assay, 499
screening for non-toxic effects and disease control, 509
tenacity measurement, 505
gall measurement, photographic and planimetric, 43
grape powdery mildew temperature and humidity studies, 615, **illus.**, 616
greenhouse facility for plant disease research, 495
Helminthosporium turcicum inoculation, Sudan grass, 188
lima bean resistance to root-knot, rapid greenhouse test, 1
lylophilization for preservation, *Pythium* spp., 213
nematocidal value of insecticides, lab. method, 428
nematode, root-knot, possible for genetic variants, 43
orchid virus detection, serological method, 314
pea, clover vein-mosaic virus, screening varieties for reaction, 491
Phytophthora infestans in *Solanum demissum* inoculation and incubation standardization, 488
root rot study apparatus, **illus.**, 612
plating soil microflora, 502
potato late blight, fungicides, field screening, 112
Sclerotinia spp., differeniating atypical isolates, 500
serological, for assay of leafhopper-borne viruses, 482
test for virus in orchids, 314
spectrophotometric assay, quick method, 525
spore germination agar plate method for assay, fungicides, 113
stone fruit virus, cucumber as host, 303
streptomycin in plant tissue assay, 25
tetrazolium chloride medium, *Pseudomonas solanacearum* mutants on, 693
TMV, correlation of physical, chemical, biological properties, 277
wheat streak mosaic epiphytotics, prediction, 487
TEITELBAUM, SHIRLEY S., 548
Temperature, anthocyanin pigment, sweet potato, internal cork, related to, 334
corn seed, cold test for screening treatments, 575
growth retarded, **illus.**, 578
effect on brown stem rot fungus growth in soybean, 4
carnation mosaic virus, selected hosts, 110
Cladosporium cucumerinum in tissue, 459
downy mildew of lima bean, 325
Elytroderma deformans ascospore discharge, 561
germination of *Phytophthora infestans*, 508
growth of *Phytophthora cryptogea*, 700
infestans isolates, 495
Stagnospora meliloti, 141

Temperature—*continued*
metabolites of *Fusarium* spp., 153
oak wilt fungus longevity, 61
oat varieties reaction to crown rust race, 221
peach rot fungicidal control, 390
Peronospora tabacina germination, 332
potato resistance to bacterial soft rot, 30
ring rot development, 496
virus free growth and development, 490
Puccinia carthami transmission, 609
graminis tritici in wheat seedlings, 482
rhubarb ring spot-like virosis, 118
Sudan grass leaf blight, 188
sugarcane germination and yield, 507
TMV multiplication, 481
tobacco tissue growth and TMV infectivity, 492
tomato gray leaf spot and nailhead spot, 502
late blight and soft rot, 274
Xanthomonas uredovorus parasitism of *Puccinia graminis tritici*, 707
flax rust longevity, related to, 469
and humidity effect on grape powdery mildew, 615
inactivation of stone fruit virus isolates in cucurbits, 538
incubation dew chamber, 498
Leptodiscus terrestris, optimum for growth, 451
potato late blight, forcasting, 111
Puccinia graminis tritici, requirements for differentiation of races, 493
soil, moisture and nitrogen effect on strawberry red-stele incidence, 601
strawberry type 2 virus inactivation studies, 489
Tetrachloroethylene, see under Fungicides
Tetrachloro-p-benzoquinone, see Fungicides, chloranil
Tetranychus bimaculatus control, 387
Tetrastichus sp., clover wound-tumor virus, effect, 548
Tetrazolium chloride medium, *Pseudomonas solanacearum* mutants on, 693
THAUNG, M. M., (507)
Thielavia terricola, *Macrophomina phaseoli*, antagonism, 522
Thielaviopsis basicola isolates on poinsettia and tobacco, 389
pH effect on root rot infection of isolates, 389
Thiocarbazides, polyphenol oxidase effects on, 501
Thiouracil, tobacco leaf tissue, absorption by, and TMV, 92
TMV and chlorotic mottling viruses, effects of treatments, 492
and PLMV, inhibition by, 529
Thioureas, polyphenol oxidase effects on, 501
Thiram, see under Fungicides
Thistle, Canada, *Verticillium albo-atrum* in, 241
THOMAS, C. A., (609)
THOMAS, H. EARL, (494), (511)
THOMAS, H. REX, 508
THOMAS, J. E., 333
THOMAS, W. D., JR., 713
THORN, G. D., (497), 508
Threonine in peach and cherry leaves, 487, 643
THURSTON, H. DAVID, (484)
Tilletia caries physiologic races longevity of spores, 494
caries, *T. foetida*, hybridization between, related to species delimitation, 493
foetida, antibiotics, control, 704
T. caries, histochemical studies on differences in rate of germination, 498
T. caries, hybridization between, related to species delimitation, 493
spp., genetics, 354
TIMS, E. C., (488)
TINLINE, R. D., 508
Tobacco, apple mosaic virus, dodder transmission, 511
aster ring spot virus in, 87
black shank control, soil treatment, 333
Dixie Bright 101 resistance, 333
mechanism of wilting, 513, **illus.**, 514
blue mold, germination of pathogen, factors affecting, 332
Tobacco—*continued*
callus tissue, effect of organic acids on growth, 422
chlorotic mottling, thiouracil, effects of treatments, 492
cyst nematode control, 497
related to plant growth, 497
etch virus, potato virus X double infections, 504
Granville-wilt resistance, root-knot nematode effect on, 497
leaves, ARSV symptoms on, **illus.**, 89
mosaic virus, Actinomycete, inhibition by, 328
chemotherapy studies, 529
drying rate and potassium phosphate, effect on infection, 389
effect of air temperature on multiplication, 481
formaldehyde reaction with, kinetic studies, 484
inactivation with rabbit antisera, 503
inhibition by antibiotic, 328
reversal, 243
water dip, 546
nutrition of host related to, 74
phosphate effect in inoculations, 494
potassium nutrition effect on, in *Nicotiana glutinosa*, 297
potato xirus X, double infections, 504
purines, analogs of, and related compounds, effect on, 243
strains, infectivity-dilution curves, differences, 505
properties and relationship, 277
systemic symptoms on leaves, **illus.**, 77
thiouracil, effects of treatments, 492
tomato breeding for resistance, 640
yellow strain, virus complex, tomato, 486
necrosis virus, drying rate and potassium phosphate, effect on infection, 389
nutrition related to TMV, 74
Phytophthora parasitica on, heterothallism, 312
potato curly top virus strain on, 127
Prunus virus on, 509
ring spot virus, drying rate and potassium phosphate, effect on infection, 389
Thielaviopsis root rot isolates on, 389
thiouracil, absorption by leaf tissue, and TMV, 92
tissue growth and TMV infectivity at different temperatures and acidities, 492
turnip virus 1 strains in, 632
watermelon mosaic virus strains on, 198
wildfire, multiplication of pathogen in leaves, 186
TODD, F. A., 333
TOKO, H. V., (112)
Tomato, alternaric acid biological activity, 497
apple mosaic virus, mechanical transmission, 511
bacterial canker resistance, 412
spot, resistant varieties, 412
wilt, breeding for resistance, 412
breeding for disease resistance with *Lycopersicon* wild species, 409
brome root-rot organism in, 97
curly top, resistance, 412
strains 11 and 12, 123
early blight, acidic buffers, foliage reaction, 101
breeding for resistance, 410
control, 438
fruit tumor, development, etiology and control, 508
Fusarium spp., metabolites production of vascular browning, 153
wilt, altering resistance with ionizing radiation, 509
breeding for resistance, 411
chemotherapeutic activity of heterocyclic compounds, 486
chemotherapy, 680
distribution in plant, 94
histological studies, 94
pathogen, pectic enzymes produced by, 509
phenols, source and role of, in symptoms, 485
resistance, effect of alcohols, 99

Tomato—*continued*
nature of, 94
tomatin discussed, 100
galls and "curly-top," dagger nematode, 389
gray leaf spot, air temperature effect on, 502
breeding for resistance, 411
histological studies, 332
late blight breeding for resistance, 409, 489
like disease, Texas, 332
related to soft rot, 274, **illus.**, 274
leaf mold, breeding for resistance, 410
leafspot fungus symptoms, **illus.**, 375
Septoria lycopersici, on 5 species, 374
leaves, fungicides tenacity measurement, method, 505
nailhead spot, air temperature effect on, 502
Phytophthora infestans leaf penetration, histological studies, 81
infestans races in, distribution, 490
races, interrelationship with potato, 510
sp., late-blight-like disease incitant, 332
spp., symptoms on, 551
potato curly top virus on, 127
leafroll virus, aphid transmission, 167
Pseudomonas solanacearum mutants, pathogenicity in, 693
ringspot virus, hydrangea, symptoms, 696, **illus.**, 697
root gall containing root-knot larvae, **illus.**, 46
root-knot assay, 43
control, 112
with 3-P-chlorphenyl-5-methyl rhodanine, 431
resistance, 413
Septoria leaf spot breeding for resistance, 411
soft rot affected by late blight fungus, 274
and late blight, temperature effect on, 274
southern blight control, 334
spotted wilt resistance, 412
stem x-sec. inoculated with Fusarium wilt, **illus.**, 99
stunt nematode, 332
TMV, breeding for resistance, 640
chemotherapy studies, 529
resistance to, 412
resistant and susceptible leaves, **illus.**, 641
yellow strain, virus complex, 486
Verticillium albo-atrum in, 241
albo-atrum, toxin studies, 433
wilt, breeding for resistance, 410
wild species, TMV, breeding for resistance, 642
wilt, nitrites role in response of seedlings, 490
wilting studies, black shank, **illuss.**, 515, 517
yellow-net virus, 219, **illus.**, 219
TOOLE, E. RICHARD, 508
TOWNSEND, C. E., (707)
Toxicity of copper naphthenate-treated flats to seedlings, **illus.**, 66
Tranzschelia pruni-spinosae in capulin cherry, 388
TREMAINE, J. H., (632)
TRESHOW, MICHAEL, 508
Trialeurodes abutilonea cotton leaf crumple vector, 480
Trichloroethylene, see under Fungicides
N-Trichloromethylthio tetrahydrophthalimide, see Fungicides, captan
2,4,6-Trichlorophenoxyacetic acid, see Chemotherapeutants
Trichoderma, 293
lignorum, *Macrophomina phaseoli*, antagonism, 522
plating technique, 502
sp. in corn seed, 580
Sclerotium rolfsii, antagonisms, 499
viride, actidione effect on, 144
carbon disulfide related to control of *Armillaria mellea*, 485
Trichodorus sp. occurrence and control on strawberry, 493
Trifolium pratense, see Clover, red
α,α-Trithiobis [N-dimethyl-thioformamide], see Fungicides, Crag 5400
Triticum timopheevi, *Erysiphe graminis tritici* on, 247
wheat selections from, resistance of, 267
TROUTMAN, JOSEPH, (186)
Trytophan in peach, western X diseased leaves, 643
TUITE, JOHN F., (484)
Tulip, cucumber mosaic in, histological and cytological studies, 502
TULLIS, E. C., (495)
Turf brown patch control, *Rhizoctonia solani* in relation to, 493
Turnip virus 1 strains host range, 632
TVEIT, MARTIN, 686
Tylenchorhynchus, see under Nematodes
Tylenchulus semipenetrans on hybrid seedlings of *Poncirus trifoliata*, 456
Tylenchus sp., 543
TYNER, L. E., 508
Typhula sp., wheat snow mold incitant, control, 504
Tyrosine in peach, western X diseased leaves, 643

Ultra violet irradiation, mutants, induced, *Venutria inaequalis*, 362
Uncinula necator progression from germination to sporulation, **illus.**, 619
temperature and humidity effect on growth, 615
Uromyces phaseoli, acquired immunity to, 511
bean pulvini resistance to infection by, 64
Ustilago avenae, antibiotics, control, 704
avenae physiologic races, 491
races, inheritance of pathogenicity, 491
kolleri, antibiotics, control, 704
new race, 491
spp., genetics, 352
triciti races effect on 3rd internode elongation, winter wheat, 500
zeae, amino-acid content of monosporidial cultures, 583
amino acids in cultures, **illuss.**, 585, 586, 587
genetics, 356
haploid lines, sexual and pathogenic compatibilities, 584
mutants, **illus.**, 358
nutrition of dicaryo phase, 486
pathogenicity to corn, comparison of lines, **illus.**, 358
sexual compatibility in haploid lines, 504

VAARTAJA, OLLI, 509
Valine in peach and cherry leaves, 487, 643
VALLEAU, W. D., (312)
Valsa leucostomoides, decay in tapped sugar maples, 12
rot in tap holes, sugar maple X-sec., **illus.**, 12
Vancide, see under Fungicides
Vanda, leaf mosaic and flower break, comparative studies, 500
Variegation, *Camellia* flowers, **illus.**, 16
Camellia leaves, **illus.**, 15
virus, *Camellia*, 14
VARNEY, E. H., (499), 509
VAUGHAN, EDWARD K., (118), 601
VENNING, FRANK D., 465
Venturia inaequalis, genetics of biochemical mutants, 366
genetics of linkage groups, 365
induced mutants, genetic, nutritional and pathogenic studies, 482
mutants, biochemical, 362, **illus.**, 365
induced, 362
related to pathogenicity, 362
ultraviolet irradiation, resistant to fungicides, 496
pH effect on growth on agar, 103
scab symptoms on apple leaves, **illus.**, 363
Verticillium albo-atrum, aerial microsclerotia, 609, **illus.**, 610
albo-atrum host range, pathogenicity of isolates, 239
methyl bromide, 605
nitrites role in wilt response, tomato, 490
peppermint, control, soil fumigation, 490
pathogenicity of isolates, 239
pH effect on growth on agar, 103

Verticillium albo-atrum—*continued*
symptoms on peppermint, **illus.**, 240
toxin studies *in vitro*, 433
var. *dahliae*, effect of metabolites of Actinomycetes on sclerotia, 111
plating technique, 502
wilt strawberry resistance, 510
tomato breeding for resistance, 410
Vigna sinensis, *Sporotrichum* sp. effect on, 478, **illus.**, 478
Viola tricolor, see pansy
Violet, dames, turnip virus 1 strains in, 632
Viruses, alfalfa dwarf, breeding for resistance, 493
alfalfa mosaic, bean pulvini resistance, 64
cowpea varieties response to, 498
potato X, double infections, 504
source and method of applying inoculum in clover, 491
apple bark splitting, disease, 498
mosaic, mechanical transmission, 511
aster ring spot, *Annulus* **wellmanii**, sp. nov., 91
ring spot, cucumber mosaic compared 87
host range, 87
naturally infected leaves, **illus.**, 87
tobacco and *Nicotiana glutinosa* leaves, **illus.**, 89
yellows, potato late-breaking virus strain of complex, 503
barley false stripe, electron microscopy of rod-shaped particles, 115
rod-shaped particles, electron micrograph, **illus.**, 116
seed and pollen transmission of rods, 115
bean curly top, resistant varieties, 486
mosaic, necrosis development, 508
pulvini resistance, 64
resistant varieties, 486
variant strain, inheritance of resistance, 481
pulvini resistance to infection by, 64
southern mosaic, drying rate and potassium phosphate, effect on infection, 389
phosphate effect in inoculations, 494
yellow mosaic, source and method of applying inoculum in clover, 491
beet yellow-net, tomato compared, 220
Camellia leaf and flower variegation, graft transmission, 14
carnation mosaic, effect of temperature, selected hosts, 110
Cattleya orchid, electrophoretic pattern, **illus.**, 316
cauliflower virus 1 strain host range, 632
cherry bark splitting, 484
buckskin, Napa strain, leafhopper transmitted to peach, 494
cucumber susceptibility to, **illus.**, 310
Eckelrade disease, leafhopper vector, Europe, 111
Lambert mottle-like virus, Montana, 481
leaf mottle, amino-acids in diseased and healthy leaves, 486
little cherry, hosts for, 510
necrotic ring spot in cucumber, 303
ring spot, amino-acids in diseased and healthy leaves, 486
nucleic acid content of leaves, 498
strain relationship on peach and cucumber,492
rugose mosaic complex variations, 500
symptoms on cucumber, **illus.**, 308
related to age of plant, **illus.**, 306
western-X-little-cherry, leafhopper transmission, 218
yellow leaf roll, buckskin, compared, 494
yellows in cucumber, 303
chlorotic mottling, thiouracil, effects of treatments, 492
chokecherry X-disease, host range and pathogenesis, 180
clover, leafhopper vector of wound-tumor-like virus, 111
vein-mosaic, pea varieties screening for reaction to, 491
source and method of applying inoculum in clover, 491
wound-tumor, *Tetrastichus* sp. effect, 548
corn mosaic symptoms and host range, 488
Lilium speciosum, host range and activity, 497
cotton leaf crumple, 479, **illus.** 480

Viruses—*continued*
cucumber host for stone fruit viruses, 303
mosaic, aster ring spot compared, 87
cowpea resistance, 506
histological and cytological studies, 502
host range, 632
lily virus complex, histological and cytological studies, 502
potato X, double infections, 504
Cucumis virus 3, *Marmor citrulli* compared, 201
curly top virus strains in sugar beets, **illus.**, 124
tomato resistance, 412
elm mosaic transmission to peach, tobacco, 499
hydrangea sap-transmissible, symptoms, 696, **illus.** 697
Lambert mottle-like, on cherry, Montana, 481
lemon quick decline, 483
lettuce mosaic, aphid transmission, 507
pathological anatomy of floral heads, 485
rod-shaped particles in tissues, 715, **illus.**, 716
seed transmission, factors affecting, 485
Marmor astrictum, *M. citrulli* compared, 201
melonis, *M. citrulli* compared, 201
muskmelon mosaic strains, aphid transmission, tests, 372
strains, host range, 371
immunological studies, 372
necrotic fleck complex in lily, histological and cytological studies, 502
ring spots associated with Chokecherry X-disease, 180
orchid, *Cattleya*, proteins associated with, 314
detection, serological method, 314
isolates, comparative studies, 500
pea-enation mosaic, aphid vectors, 283
host range, 283
streak, aphid transmission, 569
peach western X, amino-acids in healthy and diseased leaves, 486, 643
western-X-disease, leafhopper transmission, 218
L-pipecolic acid isolated from leaves, 643
western-X-little-cherry, leafhopper transmission, 218
yellow bud, mechanical transmission, 511
Pierce's disease, see also alfalfa dwarf virus
plum necrotic ring spot, host range, 110
rough bark, mechanical transmission, 511
potato, in the Americas, 415
curly top, movement through tuber, 127
strain 12, 123
studies, 125
varieties reaction to, 125
late-breaking virus associated with phyllody in Ladino clover, 503
leafroll, aphid feeding related to resistance, 496
aphid transmission, several hosts, 167
symptoms in *Physalis floridana*, **illus.**, 169
varieties, symptoms difference, 390
X virus, 87
concentrations in double infections, 504
rod shaped particles in *Solanum tuberosum* and other plants, 473
from various infected and healthy plants, **illus.**, 475
and Y in the Andes, North America, 415
yellow spot, 608, **illus.**, 608
Prunus necrotic ring spot, host range, 110
tobacco and zinnia, hosts, 509
rhubarb ring spot-like, 118
ring-spot, leaf symptoms, **illus.**, 119
various hosts, **illus.**, 120, 121
serological technique, assay leafhopper-borne viruses, 482
squash mosaic, physical biochemical characteristics, 503
spectrophotometric assay, quick method, 525
stone fruit in cucumber, 303
cucurbit hosts, pH and dilution of infectivity, effect, 533
thermal inactivation of isolates, 538
necrotic leaf spotting, 488
necrotic ring spot, distribution and spread, 488
Prunus tomentosa reaction to, 488

Viruses—*continued*

symptoms on cucumber, **illus.**, 305
sour cherry, **illus.**, 305
X-disease, distribution and spread, 488
strawberry type 2, inactivation studies, 489
sugar beet curly top strain 11, 123
sweet potato feathery mottle, aphid, mechanical transmission, 290
feathery mottle, cross-protection test, 290
morning-glory, indicator plant, 390
symptoms, **illus.**, 291
internal cork, spread, 333
tobacco etch, potato X, double infections, 504
mosaic, Actinomycete, inhibition by, 328
bean leaves, silver nitrate effect on, 230
pulvini resistance, 64
zinc sulfate effect, 230
complex, yellow strain, 486
drying rate and potassium phosphate, effect on infection, 389
effect of air temperature on multiplication, 481
formaldehyde reaction with, kinetic studies, 484
inactivation with rabbit antisera, 503
infectivity and host tissue growth at various temperatures and acidities, 492
inhibition by antibiotic, 328
reversal, 243
water dip, 546
Nicotiana glutinosa, zinc sulfate effect on, 230
nutrition of host related to, 74
phosphate effect in inoculations, 494
potassium nutrition effect on, in *Nicotiana glutinosa*, 297
potato X, double infections, 504
purines, analogs of, and related compounds, effect on, 243
silver nitrate effect on susceptibility of Pinto bean, **illus.**, 232
strains, infectivity-dilution curves, differences, 505
properties and relationships, 277
systemic symptoms on leaves, **illus.**, 77
thiouracil, effects of treatments, 492
inhibition, 92
tomato resistance, 412, 640
necrosis, bean pulvini resistance, 64
drying rate and potassium phosphate, effect on infection, 389
ring spot on bean pulvini, 64
drying rate and potassium phosphate, effect on infection, 389
soybean, seed transmission, 86, **illus.** 86
tomato curly top strains 11 and 12, 123
ringspot, host range, 696
hydrangea, symptoms, 696, **illus.** 697
spotted wilt, resistance, 412
yellow-net, 219
aphis vector, 219
beet compared, 220
tristeza honey-combing, macroscopic symptom, 485
turnip virus 1 strains host range, 632
watermelon mosaic, 3 cucurbit viruses compared, 201
mosaic, *Marmor* **citrulli** sp. nov., 201
Myzus persicae vector, 198
strains in squash and cantaloupe, **illus.**, 199
type and yellow strains, 198
yellow mosaic, *Marmor citrulli* **flavidanum** var. nov., 201
western-X-little-cherry, on cherry, **illus.**, 219
wheat streak mosaic control, 506
streak mosaic epiphytotics, prediction method, 487
mite transmitted, 506
wound-tumor and growth regulators, synergistic effect on plant cells, 482
X-disease in chokecherry, **illus.**, 182
yellow-net on tomato, **illus.**, 219

Viruses—*continued*

VOLCANI, Z., 274
Volutella colletotrichoides, biotin requirement, 484

WAGGONER, PAUL E., 509
WAHL, I., (274)
WAITE, B. H., (689)
WALKER, J. C., (94), (153), (159), (459), (503), (506)
WALLACE, J. M., (483), (486), (635)
Wallflower, turnip virus 1 strains in, 632
Walnut branch wilt related to sunburn, 506
WANG, LO, (507)
Watermelon Anthracnose, invasion and control, 675
Colletotrichum lagenarium in seed, **illus.**, 679
gummy blight, invasion and control, 675
mosaic virus, *Myzus persicae* vector, 198
type and yellow strains, 198
Mycosphaerella melonis in seed, **illus.**, 679
WATERTOR, JEAN L., (422), (492)
Weather, effect on disease complex of column stock, 39
WEATHERS, LEWIS G., 74, (483)
WEBB, R. E., 290, 390
WEBER, P. V. V., 112
WEDDING, R. T., (145)
WEED, RICHARD M., (497)
WEINTRAUB, M., (533), 538
WELLHAUSEN, E. J., 391
WELLMAN, FREDERICK L., 509
WELLS, HOMER D., 509
WELLS, J. C., 333
WELSH, M. F., (510)
WESSMAN, G. E., (707)
WEST, BILLY, 333
Wheat, *Aspergillus* glow-growing strain isolated from, 484
barley false stripe virus, rod-shaped particles in tissues, 116, **illus.** 116
basal rot, Hessian fly related to, 224
blight, seedling, related to crop sequence, 57
breeding for resistance to stem rust, Mexico, 400
bunt, common and dwarf, histochemical studies on differences in rate of germination, 498
hybridization between species and races of pathogen, 493
control, 704
genetics, 354
corn mosaic on, 488
crown rot, Hessian fly related to, 224
Erysiphe graminis hordei in, 660
grain injury, crown rot, Hessian fly related to, 224
Hessian fly injury and crown rot, **illus.**, 226
improvement program, Mexico, 398
loose smut inoculation, rapid air blast method, 499
resistance of selections, 266
powdery mildew on leaf sheath and blade, **illus.**, 250
resistance of selections, 266
temperature effect on development, 247
Puccinia graminis tritici race 59 isolates on varieties, 481
seedlings, maleic hydrazide and DDT, effect, 483
temperature effect, 482, 495
rust fungus races and biotypes, variation, 500
leaf, physiologic races in Mexico, 494
leaf and stem, resistant variety, "Knox", 483
temperature requirements for differentiation of races, 498
scab resistance, 505
smut control, 503
snow mold control, 504
soil mycoflora and disease incidence, 57
stem rust, ascorbic acid content of resistant and susceptible varieties, 502
breeding for resistance, 346
control, 506
program, 350
progress, Canada, 404
problem, Mexico, North America, 398

Wheat—*continued*
races, Canada, 405
11 and 15B effect on yield, 491
resistance of selections, 266
streak mosaic control, 506
epiphytotics, prediction method, 487
mite transmitted, 506
stunting and maturation delay, crown rot, Hessian fly related to, 224
Ustilago tritici races effect on 3rd internode elongation, 500
Wheeler, H. E., 334, 342, 510
White, Irene G., 334
Whitehead, Marvin D., (333)
White, N. H., 657
Whiteflies, cotton leaf crumple vector, 480
Wilbur, Wesley D., (485)
Wilcoxson, Roy D., (500)
Wildman, Sam G., (277), (314), (505)
Wilhelm, Stephen, 510, 609
Wilks, J. M., 510
Williams, A. S., 334
Willison, R. S., 533, (538)
Wilson, E. E., 510
Wilson, E. M., 510
Wilson, H. A., (496)
Wilson, J. B., 510
Wilson, Roy A., (487)
Winstead, N. N., 153, 159, 717
Winter, H. F., 511
Wintersteen, Hugh, **655**
Wolf, Frederick T., (333), (334)
Wolman salts on plant containers, 65
Wood-decay fungi growth tests, forest and root-cellar conditions, 388
preservatives in control of damping-off, 65
disinfection plant containers, 65
rot by *Elfvingia applanata* haploid, diploid mycelia, 260
Wood, L. S., 511
Wright, W. R., (384), 471

Xanthine, 2-heptadecyl-2-imidazoline reversal, 333
Xanthomonas campestris, actidione effect on, 144
Xanthomonas—*continued*
lactucae and *X. lactucae-scariolae*, *X. vitians*, synonyms for, 592
malvacearum, cotton reaction to strain, 332
pathogenicity differences of isolates, 332
soil carry-over, 331
pelargonii host range, 629
stem rot and leaf spot incitant, 627, **illuss.**, 628, 629
phaseoli, effect of sprinkler irrigation on infection in beans, 553
effect of streptomycin sulfate, 25
exudate, nature and function, 496
uredovorus, sp. nov., parasitic on cereal rusts, 707, **illus.**, 710
Puccinia graminis tritici, symptoms on, **illus.**, 708
urediospores of rust organism, **illus.**, 709
vesicatoria, tomato resistance, 412
vitians and *X. lactucae-scariolae* in lettuce, **illus.**, 594
lettuce, 592
Xiphinema spp., see under Nematodes
X-ray, oat seed, effect on resistance to stem rust races, 483

Yale, John W., Jr., 118
Yarwood, C. E., 64, 230, 511
Young, H. C., (511)
Young, P. A., 334
Young, Roy A., (483)
Younkin, S. G., (112)

Zaitlin, Milton, 314
Zak, B., 511
Zaumeyer, William J., (25)
Zentmyer, George A., 511, 512, (611)
Zinc chloride, strawberry type 2 virus inactivation, 489
ethylenebisdithiocarbamate, see Fungicides, zineb
sulfate, strawberry type 2 virus inactivation, 489
Zineb, see under Fungicides
Zinnia, lettuce mosaic virus, rod-shaped particles in tissues, 715
Prunus virus on, 509
rhubarb ring spot-like virosis on, 118
watermelon mosaic virus strains on, 198
Ziram, see under Fungicides